



US00D705983S

(12) **United States Design Patent**
Klus

(10) **Patent No.:** **US D705,983 S**

(45) **Date of Patent:** **** May 27, 2014**

(54) **HOUSING FOR LED-BASED LIGHTING APPARATUS**

(71) Applicant: **Sylwester Klus**, Kamionka (PL)

(72) Inventor: **Sylwester Klus**, Kamionka (PL)

(**) Term: **14 Years**

(21) Appl. No.: **29/462,113**

(22) Filed: **Jul. 31, 2013**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/138**; D26/74

(58) **Field of Classification Search**
USPC D26/24, 26, 39, 42, 67, 68, 72, 74, 75,
D26/79, 85, 88, 89, 91, 96, 108, 109, 113,
D26/118, 120, 122, 129, 138, 140, 141,
D26/142; D13/179, 180; D25/60, 119, 122,
D25/124, 125; 362/24, 26, 39, 42, 67, 68,
362/72, 74, 75, 79, 96, 108, 109, 113, 118,
362/129, 138, 140, 141, 142

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,941,079	A *	12/1933	Exelmans	362/224
3,302,350	A *	2/1967	Brown et al.	52/288.1
D288,802	S *	3/1987	Bramwell	D13/155
D314,554	S *	2/1991	Betts	D13/155
D437,944	S *	2/2001	Neuhofer, Jr.	D25/199
D471,887	S *	3/2003	Nishii et al.	D14/157
6,561,690	B2 *	5/2003	Balestriero et al.	362/555
D482,552	S *	11/2003	Campbell et al.	D6/509
6,972,367	B2 *	12/2005	Federspiel et al.	174/481

7,244,058	B2 *	7/2007	DiPenti et al.	362/547
D616,035	S *	5/2010	Kosir et al.	D20/44
D621,542	S *	8/2010	Klus	D26/138
D623,343	S *	9/2010	Kluś	D26/138
D649,680	S *	11/2011	Trzesniowski	D26/138
D649,681	S *	11/2011	Trzesniowski	D26/138
D649,691	S *	11/2011	Trzesniowski	D26/138
D693,052	S *	11/2013	Klu	D26/138
2006/0146531	A1 *	7/2006	Reo et al.	362/244

OTHER PUBLICATIONS

ECO Tami, announced Sep. 2013, [online], [site visited Feb. 3, 2014]. Available from Internet, <URL:http://www.klusdesign.com/products/show/216/c>.*

* cited by examiner

Primary Examiner — Deanna L Pratt
Assistant Examiner — Natasha Vujcic
(74) *Attorney, Agent, or Firm* — Mark Terry


(57) **CLAIM**

The ornamental design for a housing for an LED-based lighting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a housing for an LED-based lighting apparatus, showing the new design;
FIG. 2 is a side view thereof.
FIG. 3 is a top perspective view thereof;
FIG. 4 is a bottom perspective view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6