

US00D706005S

(12) United States Design Patent

Lauer

(10) Patent No.:

US D706,005 S

(45) **Date of Patent:**

** May 27, 2014

HOOD HAVING EXTERNAL HELICAL CONFIGURATION, FOR USE AS PART OF **DEBRIS-COLLECTING APPARATUS**

Inventor: G. Kent Lauer, Lee's Summit, MO (US) (75)

Billy Goat Industries, Inc., Lee's (73)Assignee:

Summit, MO (US)

14 Years l'erm:

Appl. No.: 29/423,955

Filed: Jun. 6, 2012

(52)U.S. Cl.

Field of Classification Search (58)

USPC D32/16, 17, 18, 21, 25, 31, 32, 33, 34, D32/35; D15/10, 11, 12, 13, 14, 17, 21, 22, D15/23, 26, 27, 28, 31, 33; D28/10, 12, 18, D28/19; 15/246, 246.2, 257.1, 300.1, 328, 15/334, 338, 345, 347, 349; 55/341.1, 55/341.2, 341.6, 344, 345, 353, 359, 366, 55/373, 383, 410, 415, 416, 423 See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

1,691,536 A	*	11/1928	Winslow et al	55/383			
2,074,818 A	*	3/1937	Watson	55/415			
(Continued)							

Primary Examiner — Deanna L Pratt Assistant Examiner — Natasha Vujcic

(74) Attorney, Agent, or Firm — Lathrop & Gage LLP

(57)**CLAIM**

The ornamental design for a hood having external helical configuration, for use as part of debris-collecting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a hood having external helical configuration, for use as part of debris-collecting apparatus

showing the new design according to one embodiment, in use as part of an illustrative debris-collecting apparatus.

FIG. 2 is another isometric view of the hood having external helical configuration of FIG. 1, shown again in use as part of an illustrative debris-collecting apparatus.

FIG. 3 is a front view of the hood having external helical configuration of FIG. 1, shown again in use as part of an illustrative debris-collecting apparatus.

FIG. 4 is a rear view of the hood having external helical configuration of FIG. 1, shown again in use as part of an illustrative debris-collecting apparatus.

FIG. 5 is a side view of the hood having external helical configuration of FIG. 1, shown again in use as part of an illustrative debris-collecting apparatus.

FIG. 6 is an opposite side view of the hood having external helical configuration of FIG. 1, shown again in use as part of an illustrative debris-collecting apparatus.

FIG. 7 is a top view of the hood having external helical configuration of FIG. 1, shown again in use as part of an illustrative debris-collecting apparatus.

FIG. 8 is an isometric view of the hood having external helical configuration of FIG. 1, shown generally isolated.

FIG. 9 is a front view of the hood having external helical configuration of FIG. 1, shown generally isolated.

FIG. 10 is a rear view of the hood having external helical configuration of FIG. 1, shown generally isolated.

FIG. 11 is a side view of the hood having external helical configuration of FIG. 1, shown generally isolated.


FIG. 12 is an opposite side view of the hood having external helical configuration of FIG. 1, shown generally isolated.

FIG. 13 is a top view of the hood having external helical configuration of FIG. 1, shown generally isolated; and,

FIG. 14 is a bottom view of the hood having external helical configuration of FIG. 1, shown generally isolated.

All of the broken lines in the accompanying drawings illustrate environmental structure and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



US D706,005 S Page 2

(56)	References Cited	, ,		Vandermolen et al D15/10 Ringer et al 15/347
U.S	S. PATENT DOCUMENTS	D651,775 S *	1/2012	Cheng
3,246,459 A 3,353,340 A 4,246,013 A D294,031 S	* 7/1941 Little	2005/0279061 A1* 2008/0196196 A1* 2009/0104033 A1*	12/2005 8/2008 4/2009	Broughton 55/345 Conrad 15/300.1 Rappin 15/300.1 Mizutani et al. 15/246




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10








FIG. 13




FIG. 14