

US00D706082S

(12) **United States Design Patent**
Malcolm et al.

(10) **Patent No.:** **US D706,082 S**
(45) **Date of Patent:** **** Jun. 3, 2014**

(54) **PLATE WITH RECEPTACLE**

(71) Applicants: **Carter T. Malcolm**, Ann Arbor, MI
(US); **Jacqueline K. Malcolm**, Ann
Arbor, MI (US)

(72) Inventors: **Carter T. Malcolm**, Ann Arbor, MI
(US); **Jacqueline K. Malcolm**, Ann
Arbor, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/465,357**

(22) Filed: **Aug. 27, 2013**

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/558**

(58) **Field of Classification Search**

USPC D7/555, 587, 557, 584, 586, 582, 550.1,
D7/552.2, 553.1–554.4, 502, 538, 543,
D7/585, 410, 354, 549, 500, 501, 505, 558,
D7/357, 576, 503, 610–611; D6/309;
D30/123; D9/424; 220/574–575, 751,
220/23.4, 556, 501; D20/42; 40/700, 760,
40/780

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D8,764 S * 11/1875 Franz D7/558
D50,350 S * 2/1917 Haley D7/545
D109,980 S * 6/1938 Guild D7/584
D175,072 S * 7/1955 Darien D7/558
D195,475 S * 6/1963 Swett D7/630

D216,270 S * 12/1969 Beckmann D7/388
D306,528 S * 3/1990 Worley D6/309
D346,568 S * 5/1994 Bates D11/164
6,098,831 A * 8/2000 Dibble 220/574
D488,089 S * 4/2004 Sellers D11/164
D494,818 S * 8/2004 Jalet et al. D7/584
D636,611 S * 4/2011 Duma D6/309
D638,262 S * 5/2011 Eberstadt et al. D7/554.2

* cited by examiner

Primary Examiner — Eric Goodman

Assistant Examiner — Brett Miller

(74) *Attorney, Agent, or Firm* — Brinks Gilson & Lione

(57) **CLAIM**

The ornamental design for a plate with receptacle, as shown
and described.

DESCRIPTION

FIG. 1 is a top perspective view of the plate with receptacle of
the present invention;

FIG. 2 is a bottom perspective view of the plate with recep-
tacle of the present invention;

FIG. 3 is a top view of the plate with receptacle shown in FIG.
1;

FIG. 4 is a front side view of the plate with receptacle shown
in FIG. 1.


FIG. 5 is a left side view of the plate with receptacle shown in
FIG. 1;

FIG. 6 is a back side view of the plate with receptacle shown
in FIG. 1.

FIG. 7 is a right side view of the plate with receptacle shown
in FIG. 1; and,

FIG. 8 is a bottom view of the plate with receptacle shown in
FIG. 1.

1 Claim, 4 Drawing Sheets






FIG - 1




FIG - 2




FIG - 3



FIG - 4




FIG - 5




FIG - 6




FIG - 7




FIG - 8