

US00D706156S

(12) **United States Design Patent**
Branch

(10) **Patent No.:** **US D706,156 S**
(45) **Date of Patent:** **** Jun. 3, 2014**

(54) **TILT DETECTOR AND INDICATOR**

(71) Applicant: **ShockWatch, Inc.**, Dallas, TX (US)

(72) Inventor: **Clinton A. Branch**, Jacksboro, TX (US)

(73) Assignee: **ShockWatch, Inc.**, Dallas, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/433,833**

(22) Filed: **Oct. 5, 2012**

(51) **LOC (10) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/109.1**

(58) **Field of Classification Search**

USPC D10/109.1, 111, 114.1, 113.4, 6;
116/215; 324/207.11; 33/365

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D74,021 S * 12/1927 Oestnaes D10/111
D199,193 S * 9/1964 Escalante D10/6

3,207,122 A * 9/1965 Salembier 116/215
D205,299 S * 7/1966 Escalante D10/6
3,467,053 A * 9/1969 Davis et al. 116/215
D264,565 S * 5/1982 Medeiros D10/109.1
D364,109 S * 11/1995 Stanuch et al. D10/114.1
D501,668 S * 2/2005 Kayoum D20/29
8,671,582 B2 * 3/2014 Branch 33/365
2010/0315070 A1 * 12/2010 Hong 324/207.11

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — James L. Baudino

(57) **CLAIM**

The ornamental design for a tilt detector and indicator, as shown.

DESCRIPTION

FIG. 1 is a top perspective view of a tilt detector and indicator showing the new design;

FIG. 2 is a front elevation view thereof;



FIG. 3 is a right side elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6