



US00D706432S

(12) **United States Design Patent**  
**Martinez**

(10) **Patent No.:** **US D706,432 S**  
(45) **Date of Patent:** **\*\* Jun. 3, 2014**

(54) **PULSED ELECTROMAGNETIC FIELD  
DEVICE WITH PEEL-OFF STYLE  
MOUNTING STRIP**

(75) Inventor: **John Robert Martinez**, Woodsboro,  
MD (US)

(73) Assignee: **BioElectronics Corp.**, Frederick, MD  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/403,404**

(22) Filed: **Oct. 5, 2011**

(51) **LOC (10) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/200**

(58) **Field of Classification Search**  
USPC ..... D24/107, 167–168, 187, 189, 200,  
D24/206–207, 213–215; 600/391–394;  
601/15, DIG. 1, DIG. 3; 602/2, 41,  
602/54–58; 607/46, 115  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D274,262 S *	6/1984	Heilman et al.	.....	D24/168
5,150,708 A *	9/1992	Brooks	.....	600/391
5,511,548 A *	4/1996	Riazzi et al.	.....	600/391
D403,774 S *	1/1999	Laughlin et al.	.....	D24/189
5,984,102 A *	11/1999	Tay	.....	600/391
D423,674 S *	4/2000	Bassøe	.....	D24/187
D429,337 S *	8/2000	Sanfilippo	.....	D24/187
6,272,385 B1 *	8/2001	Bishay et al.	.....	600/392
D477,085 S *	7/2003	Sanfilippo	.....	D24/187
D478,173 S *	8/2003	Nielsen	.....	D24/187
D498,848 S *	11/2004	Vaisnys et al.	.....	D24/187

D558,352 S *	12/2007	Sanfilippo	.....	D24/187
D558,882 S *	1/2008	Brady	.....	D24/187
D675,739 S *	2/2013	McCormack	.....	D24/168
D679,819 S *	4/2013	Peron	.....	D24/189
D679,820 S *	4/2013	Peron	.....	D24/189
2013/0197341 A1 *	8/2013	Grob et al.	.....	600/391

\* cited by examiner

*Primary Examiner* — Eric Goodman

*Assistant Examiner* — John Reickel

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.



(57) **CLAIM**

The ornamental design for a pulsed electromagnetic field (“PEMF”) device with a peel-off style mounting strip, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is an exploded front view of the PEMF device with the peel-off style mounting strip;  
FIG. 2 is an exploded rear view of the PEMF device with the peel-off style mounting strip;  
FIG. 3 is an exploded right side view of the PEMF device with the peel-off style mounting strip;  
FIG. 4 is an exploded left side view of the PEMF device with the peel-off style mounting strip;  
FIG. 5 is an exploded top view of the PEMF device with the peel-off style mounting strip; and,  
FIG. 6 is an exploded bottom view of the PEMF device with the peel-off style mounting strip.  
The broken lines—showing of the PEMF device with the peel-off style mounting strip is shown for the purpose of illustrating portions of the article, and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**







FIG. 1





FIG. 2






FIG. 3




FIG. 4

