



US00D706434S

(12) **United States Design Patent**
Aasebo et al.

(10) **Patent No.:** **US D706,434 S**
(45) **Date of Patent:** **** Jun. 3, 2014**

(54) **CONTROL UNIT**

(75) Inventors: **Siv Elise Aasebo**, Loddefjord (NO); **Ole Brix**, Isdalsto (NO); **Jan Atle Lossius Ellingsen**, Soreldgrend (NO); **Bard Henriksen**, Ovre Ervik (NO); **Inge Klepsvik**, Fyllingaaalen (NO); **Louise Mohn**, Oslo (NO); **Stale Nordas**, Blomsterdalen (NO); **Espen Ovreide**, Strusshamn (NO)

(73) Assignee: **Luzmon UK Limited** (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/418,142**

(22) Filed: **Apr. 12, 2012**

(30) **Foreign Application Priority Data**

Oct. 14, 2011 (EM) 001932344-0002

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/200**

(58) **Field of Classification Search**
USPC D24/169, 186, 200, 209–210; D10/78, D10/81; D13/168; 340/12.22; 601/20–21
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D251,548 S *	4/1979	Perry	D10/78
D254,726 S *	4/1980	Hirsch et al.	D10/60
4,364,378 A *	12/1982	Seuss et al.	601/21
D288,179 S *	2/1987	Sekido	D10/78
D345,706 S *	4/1994	Martell	D10/81
D371,517 S *	7/1996	Narayanan	D10/81

D419,082 S *	1/2000	Wensley et al.	D10/78
D447,071 S *	8/2001	Akers et al.	D10/81
D477,540 S *	7/2003	Chen	D10/46
D481,963 S *	11/2003	Onuma et al.	D10/78
D545,439 S *	6/2007	Draudt et al.	D24/186
D585,993 S *	2/2009	Kousuge	D24/186
D590,063 S *	4/2009	Garthoff et al.	D24/186
D606,947 S *	12/2009	Caprio et al.	D13/168
D622,401 S *	8/2010	Suzuki	D24/187
D633,625 S *	3/2011	Maderazzo	D24/200
D642,564 S *	8/2011	Busri et al.	D14/358
D653,761 S *	2/2012	Lytle	D24/209
D667,557 S *	9/2012	Boudier	D24/186
D672,668 S *	12/2012	Gibb et al.	D10/81
D681,486 S *	5/2013	Willuweit	D10/81

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — John Reickel

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP


(57) **CLAIM**

The ornamental design for a control unit, as shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a control unit; FIG. 2 is a front elevational view of the control unit of FIG. 1; FIG. 3 is a perspective front view of the control unit of FIG. 1; FIG. 4 is a perspective rear view of the control unit of FIG. 1; FIG. 5 is a rear elevational view of the control unit of FIG. 1; FIG. 6 is a right elevational view of the control unit of FIG. 1, the side opposite being a mirror image; and, FIG. 7 is a top plan view of the control unit of FIG. 1. The broken lines shown in the figures are included for the purpose of illustrating portions of the article and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D706,434 S

Page 2


(56)

References Cited

U.S. PATENT DOCUMENTS

D681,828 S *	5/2013	Shinohara et al.	D24/186	
D682,433 S *	5/2013	Shinohara et al.	D24/186	* cited by examiner
D685,100 S *	6/2013	Shinohara et al.	D24/186	
2004/0260212 A1 *	12/2004	Cho	601/15	
2008/0058685 A1 *	3/2008	Hsieh	601/20	

FIGURE 1






FIGURE 2




FIGURE 3

FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7

