

US00D706731S

(12) **United States Design Patent**
Altonen et al.

(10) **Patent No.:** **US D706,731 S**
(45) **Date of Patent:** **** Jun. 10, 2014**

(54) **CONTROL DEVICE**

(71) Applicant: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(72) Inventors: **Gregory Altonen**, Easton, PA (US);
Elliot G. Jacoby, Glenside, PA (US);
William Taylor Shivell, Breinigsville,
PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/437,837**

(22) Filed: **Nov. 21, 2012**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/177**

(58) **Field of Classification Search**
USPC D13/162, 164, 173, 174; 200/5 R, 5 A,
200/302.2, 520, 530, 293, 296, 308, 310,
200/314, 317, 329, 333, 341; 307/157;
315/209 R, 224, 246, 291, 294, 295
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,780,573	A *	10/1988	Own	174/66
D311,678	S *	10/1990	Graef et al.	D8/353
D378,814	S *	4/1997	Adams et al.	D13/164
D436,930	S	1/2001	Butler	
D453,742	S	2/2002	Butler et al.	
6,350,039	B1 *	2/2002	Lee	362/95
D456,783	S	5/2002	Mayo et al.	
6,459,250	B1 *	10/2002	Davis	323/352
D465,460	S *	11/2002	Mayo et al.	D13/164
D546,776	S *	7/2007	Miarta et al.	D13/162
D574,787	S *	8/2008	Hollner	D13/162
D580,884	S *	11/2008	Hollner	D13/164

D588,072	S *	3/2009	Hollner et al.	D13/164
D595,240	S *	6/2009	Busbridge	D13/171
D633,448	S *	3/2011	Biery et al.	D13/171
D645,001	S	9/2011	Margolin et al.	
8,077,058	B2	12/2011	Swatsky et al.	
D658,591	S	5/2012	Margolin et al.	
2008/0169176	A1 *	7/2008	Yang	200/310

FOREIGN PATENT DOCUMENTS

CA 120944 11/2009

OTHER PUBLICATIONS

U.S. Appl. No. 29/437,838, filed Nov. 21, 2012, Altonen et al.
U.S. Appl. No. 29/437,854, filed Nov. 21, 2012, Altonen et al.
U.S. Appl. No. 29/449,412, filed Mar. 15, 2013, Altonen et al.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Mark E. Rose; Philip N.
Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for a control device, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a control device according to
our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.


FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The rear view forms no part of the design and is omitted. The
oblique shade lines shown in the drawings indicate a trans-
parent or translucent surface. The portions of the drawings
appearing in broken line are for environment only and do not
form a part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

U.S. Appl. No. 29/452,688, filed Apr. 19, 2013, Altonen et al.
Inncom, GS-700 Family Glass Series Switches Sell Sheet, Nov.
2008, 2 pages.

Gira Giersiepen GmbH & Co. KG, Espirit Brochure, May 2009, 4
pages.

Dynalite Intelligent Light Pty Ltd, Light News, Aug. 2005, 8 pages,
issue 2.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6