



US00D706965S

(12) **United States Design Patent**
Katou et al.

(10) **Patent No.:** **US D706,965 S**
(45) **Date of Patent:** **** Jun. 10, 2014**

(54) **REAR COMBINATION LAMP FOR AN
AUTOMOBILE**

(71) Applicant: **Nissan Motor Co., Ltd.**, Kanagawa (JP)

(72) Inventors: **Tadashi Katou**, Kanagawa (JP);
Yongjun Heo, Kanagawa (JP); **Kenneth
Lee**, London (GB)

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/455,987**

(22) Filed: **May 28, 2013**

(30) **Foreign Application Priority Data**

Nov. 29, 2012 (JP) 2012-029245

(51) **LOC (10) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28–36; 362/459–468, 475–478,
362/485–487

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D565,211 S * 3/2008 Haller et al. D26/28
D602,616 S * 10/2009 Okamura et al. D26/28
D605,793 S * 12/2009 Weil D26/28
D620,157 S * 7/2010 Frenzel et al. D26/28

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(57) **CLAIM**

The ornamental design for a rear combination lamp for an automobile, as shown and described.

DESCRIPTION

FIG. 1 is an outside elevational view of a rear combination lamp for an automobile in accordance with a first embodiment of our new design;

FIG. 2 is an inside elevational view of the rear combination lamp for an automobile in accordance with the first embodiment of our new design of FIG. 1;

FIG. 3 is a top plan view of the rear combination lamp for an automobile in accordance with the first embodiment of our new design of FIGS. 1 and 2;

FIG. 4 is a bottom plan view of the rear combination lamp for an automobile in accordance with the first embodiment of our new design of FIGS. 1 to 3;

FIG. 5 is a front side elevational view of the rear combination lamp for an automobile in accordance with the first embodiment of our new design of FIGS. 1 to 4;


FIG. 6 is a rear side elevational view of the rear combination lamp for an automobile in accordance with the first embodiment of our new design of FIGS. 1 to 5; and,

FIG. 7 is a front-outside side perspective view of the rear combination lamp for an automobile in accordance with the first embodiment of our new design of FIGS. 1 to 6.

A second embodiment of our new design is identical to the first embodiment except that the inside elevational view of FIG. 2, the bottom plan view of FIG. 4 and the rear side elevational view of FIG. 6 form no part of the claimed design. In addition, in the second embodiment, the appearance of the inside structures, the bottom structures and the rear side structures of the rear combination lamp as seen in FIGS. 1, 3, 5 and 7 is for purpose of illustrating the boundaries of the exterior surface of the outside of the rear combination lamp, and forms no part of the claimed design.

Our new design includes the mirror image of the rear combination lamp shown in FIGS. 1 to 7.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7