



US00D707553S

(12) **United States Design Patent**
Vantrease

(10) **Patent No.:** **US D707,553 S**
(45) **Date of Patent:** **** Jun. 24, 2014**

- (54) **ENCLOSURE FASTENER**
- (71) Applicant: **Joshua Vantrease**, Selah, WA (US)
- (72) Inventor: **Joshua Vantrease**, Selah, WA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/447,985**
- (22) Filed: **Mar. 8, 2013**
- (51) **LOC (10) Cl.** **09-07**
- (52) **U.S. Cl.**
USPC **D9/435**
- (58) **Field of Classification Search**
USPC D9/435, 434, 438, 499; 206/820, 343;
29/417; 24/30.5 S, DIG. 28, 561, 30.5 R
See application file for complete search history.

| | | | | | | |
|--------------|----|---|---------|------------------|-------|-----------|
| D299,434 | S | * | 1/1989 | Burford | | D9/435 |
| 4,911,293 | A | * | 3/1990 | Holmes | | 206/343 |
| D309,159 | S | * | 7/1990 | Hickmott | | D20/26 |
| 5,138,748 | A | * | 8/1992 | Welles | | 24/30.5 S |
| 5,311,646 | A | * | 5/1994 | Eischen, Sr. | | 24/30.5 S |
| 5,495,645 | A | * | 3/1996 | Suzuki et al. | | 24/30.5 S |
| 5,852,851 | A | * | 12/1998 | Cooper | | 24/30.5 R |
| 6,389,652 | B1 | * | 5/2002 | Williams | | 24/30.5 R |
| 6,591,460 | B1 | * | 7/2003 | Hoshino | | 24/30.5 S |
| 6,695,364 | B2 | * | 2/2004 | Bierlin | | 292/307 A |
| 6,763,554 | B1 | * | 7/2004 | Torrey et al. | | 24/30.5 P |
| D536,746 | S | * | 2/2007 | Murray | | D21/453 |
| D539,140 | S | * | 3/2007 | Irwin | | D9/435 |
| D542,360 | S | * | 5/2007 | Murray | | D21/453 |
| 2006/0042051 | A1 | | 3/2006 | Irwin | | |
| 2010/0122436 | A1 | * | 5/2010 | Takahashi et al. | | 24/30.5 P |
| 2010/0228269 | A1 | * | 9/2010 | Garrison et al. | | 606/139 |

* cited by examiner

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Leanne Was
(74) *Attorney, Agent, or Firm* — Dale J. Ream

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|-------------------|-------|-----------|
| 3,163,969 | A | * | 1/1965 | Irwin et al. | | 53/417 |
| 3,164,250 | A | * | 1/1965 | Paxton | | 206/343 |
| 3,270,874 | A | * | 9/1966 | Hilton | | 206/343 |
| 3,370,396 | A | * | 2/1968 | Paxton et al. | | 53/138.3 |
| 3,417,912 | A | * | 12/1968 | Paxton | | 383/71 |
| 3,822,441 | A | * | 7/1974 | Paxton | | 24/30.5 S |
| 4,026,413 | A | * | 5/1977 | Britt et al. | | 206/343 |
| 4,215,606 | A | * | 8/1980 | Britt | | 83/23 |
| 4,333,566 | A | * | 6/1982 | Holmes | | 206/343 |
| 4,341,303 | A | * | 7/1982 | Britt | | 206/343 |
| 4,361,935 | A | * | 12/1982 | Paxton | | 24/30.5 R |
| 4,428,134 | A | * | 1/1984 | Arnold et al. | | 40/673 |
| 4,509,231 | A | * | 4/1985 | Paxton | | 24/30.5 R |
| 4,571,779 | A | * | 2/1986 | Koerschner et al. | | 24/30.5 S |
| 4,694,542 | A | * | 9/1987 | Koppe | | 24/30.5 S |
| 4,760,624 | A | * | 8/1988 | Fish | | 24/30.5 S |
| 4,783,886 | A | * | 11/1988 | Koppe | | 24/30.5 S |


(57) **CLAIM**

The ornamental design for an enclosure fastener, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an enclosure fastener showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 6



FIG. 4



FIG. 5



FIG. 7