



US00D707627S

(12) **United States Design Patent**
Brunner et al.

(10) **Patent No.:** **US D707,627 S**

(45) **Date of Patent:** **** *Jun. 24, 2014**

(54) **TRANSMITTER BOX**

(71) Applicant: **Beats Electronics, LLC**, Santa Monica, CA (US)

(72) Inventors: **Robert Brunner**, San Francisco, CA (US); **Christopher Kuh**, San Francisco, CA (US)

(73) Assignee: **Beats Electronics, LLC**, Santa Monica, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/439,367**

(22) Filed: **Dec. 10, 2012**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/410,588, filed on Jan. 10, 2012, now Pat. No. Des. 672,715.

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**

USPC D13/110, 101, 118, 133, 147, 158, 160, D13/162, 162.1, 164, 184; D10/104.1; D14/155, 240, 356, 357, 367, 388, D14/496; 307/31, 149; 323/207, 211, 295; 361/627, 679.01, 679.02, 732, 752; 439/189; 700/286

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D433,994 S * 11/2000 Jobs et al. D13/110
D436,919 S * 1/2001 Wakefield et al. D13/110

(Continued)

Primary Examiner — Derrick Holland

(74) *Attorney, Agent, or Firm* — Michael G. Kelber; Neal, Gerber & Eisenberg LLP

(57) **CLAIM**

The ornamental design for a transmitter box, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a transmitter box in accordance with the present invention;

FIG. 2 is a front view of the embodiment of the transmitter box depicted in FIG. 1;

FIG. 3 is a rear view of the embodiment of the transmitter box depicted in FIG. 1;

FIG. 4 is a right side view of the embodiment of the transmitter box depicted in FIG. 1;

FIG. 5 is a left side view of the embodiment of the transmitter box depicted in FIG. 1;

FIG. 6 is a top view of the embodiment of the transmitter box depicted in FIG. 1;

FIG. 7 is a bottom view of the embodiment of the transmitter box depicted in FIG. 1;

FIG. 8 is a top perspective view of a second embodiment of a transmitter box in accordance with the present invention;

FIG. 9 is a front view of the embodiment of the transmitter box depicted in FIG. 8;

FIG. 10 is a rear view of the embodiment of the transmitter box depicted in FIG. 8;

FIG. 11 is a right side view of the embodiment of the transmitter box depicted in FIG. 8;


FIG. 12 is a left side view of the embodiment of the transmitter box depicted in FIG. 8;

FIG. 13 is a top view of the embodiment of the transmitter box depicted in FIG. 8; and,

FIG. 14 is a bottom view of the embodiment of the transmitter box depicted in FIG. 8.

The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D707,627 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D544,834 S * 6/2007 Weinstein D13/110
D549,119 S * 8/2007 Becker D10/104.1

D559,178 S * 1/2008 Ashida et al. D13/110
D570,772 S * 6/2008 Mahaffey et al. D13/110
D575,730 S * 8/2008 Hung D13/110
D649,160 S * 11/2011 Smith D14/496

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14