



US00D707837S

(12) **United States Design Patent**  
**Aasebo et al.**

(10) **Patent No.:** **US D707,837 S**  
(45) **Date of Patent:** **\*\* Jun. 24, 2014**

(54) **PAD**

(75) Inventors: **Siv Elise Aasebo**, Loddefjord (NO); **Ole Brix**, Isdalsto (NO); **Jan Atle Lossius Ellingsen**, Soreldgrand (NO); **Bard Henriksen**, Ovre Ervik (NO); **Inge Klepsvik**, Fyllingsalen (NO); **Louise Mohn**, Oslo (NO); **Stale Nordas**, Blomsterdalen (NO); **Espen Ovreide**, Strusshamn (NO)

(73) Assignee: **Luzmon UK Limited**, London (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/395,855**

(22) Filed: **Apr. 12, 2012**

(30) **Foreign Application Priority Data**

Oct. 14, 2011 (EM) ..... 001932344-0001  
Oct. 14, 2011 (EM) ..... 001932344-0003  
Oct. 14, 2011 (EM) ..... 001932344-0004

(51) **LOC (10) CL.** ..... **24-04**

(52) **U.S. CL.**  
USPC ..... **D24/206**

(58) **Field of Classification Search**  
USPC ..... D24/107, 167-168, 187, 189, 200,  
D24/206-207, 213-215; 600/391-394;  
601/15, DIG. 1, DIG. 3; 602/2, 41,  
602/54-58; 607/46, 115  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D203,092 S \* 11/1965 Grube ..... D24/206  
D207,080 S \* 2/1967 McNair ..... D24/206  
3,556,096 A \* 1/1971 Fuller et al. .... 602/58  
D359,805 S \* 6/1995 Mikler et al. .... D24/189  
D359,807 S \* 6/1995 Mikler et al. .... D24/189  
D371,605 S \* 7/1996 Wong et al. .... D24/169  
D456,907 S \* 5/2002 Sanfilippo ..... D24/187  
D511,384 S \* 11/2005 Masuda ..... D24/187

D553,248 S \* 10/2007 Nguyen ..... D24/186  
D569,523 S \* 5/2008 Hsieh ..... D24/206  
D667,557 S \* 9/2012 Boudier ..... D24/186  
D671,649 S \* 11/2012 McCormack ..... D24/168  
D675,738 S \* 2/2013 Baumer et al. .... D24/168  
D678,532 S \* 3/2013 Powers et al. .... D24/187  
D681,827 S \* 5/2013 Shinohara et al. .... D24/186  
D689,614 S \* 9/2013 Browne et al. .... D24/167  
2009/0149731 A1 \* 6/2009 Selvitelli et al. .... 600/394

**OTHER PUBLICATIONS**

Jade Product DV12V 3 balls heating therapy massager, Alibaba.com, Apr. 12, 2010. [http://www.alibaba.com/product-gs/1256700104/Jade\\_product\\_DV12V\\_3\\_balls\\_Jade/showimage.html](http://www.alibaba.com/product-gs/1256700104/Jade_product_DV12V_3_balls_Jade/showimage.html).  
Hammacher Heat and Cold Therapy Massager, itclips.net, Nov. 22, 2011. <http://www.itclips.net/2011/11/22/hammacher-heat-and-cold-therapy-massager/>.  
Professional Portable Ultrasound Machine, ezultrasound.com, Jul. 3, 2009. [http://www.ezultrasound.com/us1\\_000-portable-home-ultrasound-therapy-machine.aspx](http://www.ezultrasound.com/us1_000-portable-home-ultrasound-therapy-machine.aspx).  
Infared Light Therapy Polychromatic LED Therapy Device Model 900, healiohealth.com, 2010. <http://healiohealth.com/products/index/2026>.  
Sun Ice Hot and Cold Therapy, win-health.com, Oct. 5, 2010. <http://www.win-health.com/sunice-hot-cold-therapy.html>.

\* cited by examiner

*Primary Examiner* — Eric Goodman

*Assistant Examiner* — John Reickel

(74) *Attorney, Agent, or Firm* — Morgan Lewis & Bockius LLP

(57) **CLAIM**

The ornamental design for a pad, as shown and described.

**DESCRIPTION**

The file of this patent contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a bottom plan view of a first embodiment of the pad; FIG. 2 is a front elevational view of a pad shown in FIG. 1; FIG. 3 is a bottom perspective view of a pad shown in FIG. 1; FIG. 4 is a top perspective view of a pad shown in FIG. 1; FIG. 5 is a rear elevational view of a pad shown in FIG. 1;




FIG. 6 is a left elevational view of a pad shown in FIG. 1, the side opposite being a mirror image;  
FIG. 7 is a top plan view of a pad shown in FIG. 1;  
FIG. 8 is a bottom plan view of a second embodiment of a pad, in which contrast forms part of the design;  
FIG. 9 is a front elevational view of a pad shown in FIG. 8;  
FIG. 10 is a bottom perspective view of a pad shown in FIG. 8;  
FIG. 11 is a top perspective view of a pad shown in FIG. 8;  
FIG. 12 is a rear elevational view of a pad shown in FIG. 8;  
FIG. 13 is a left elevational view of a pad shown in FIG. 8, the side opposite being a mirror image;  
FIG. 14 is a top plan view of a pad shown in FIG. 8;  
FIG. 15 is a bottom plan view of a third embodiment of a pad, in which color forms part of the design;  
FIG. 16 is a front elevational view of a pad shown in FIG. 15;

FIG. 17 is a bottom perspective view of a pad shown in FIG. 15;  
FIG. 18 is a top perspective view of a pad shown in FIG. 15;  
FIG. 19 is a rear elevational view of a pad shown in FIG. 15;  
FIG. 20 is a left elevational view of a pad shown in FIG. 15, the side opposite being a mirror image; and,  
FIG. 21 is a top plan view of a pad shown in FIG. 15.  
The broken lines in the figures are for illustrative purposes only and form no part of the claimed design. The right view of each embodiment is symmetrical to the left view and, therefore, the right views are omitted. In the second and third embodiments, contrast forms part of the design. In the fourth and fifth embodiments, color forms part of the design.

**1 Claim, 21 Drawing Sheets  
(14 of 21 Drawing Sheet(s) Filed in Color)**





FIGURE 1

FIGURE 2






FIGURE 3





FIGURE 4

FIGURE 5






FIGURE 6






FIGURE 7




FIGURE 8

FIGURE 9





FIGURE 10







FIGURE 11

FIGURE 12






FIGURE 13




FIGURE 14







FIGURE 15

FIGURE 16






FIGURE 17





FIGURE 18

FIGURE 19






FIGURE 20




FIGURE 21