



US00D707879S

(12) **United States Design Patent**  
**Hamilton**

(10) **Patent No.:** **US D707,879 S**  
(45) **Date of Patent:** **\*\* Jun. 24, 2014**

(54) **LIGHT FITTING**

(71) Applicant: **Gerard Francis Hamilton**, Dublin (IE)

(72) Inventor: **Gerard Francis Hamilton**, Dublin (IE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/468,944**

(22) Filed: **Oct. 4, 2013**

(30) **Foreign Application Priority Data**

Apr. 5, 2013 (EP) ..... 0022149160001  
Apr. 5, 2013 (EP) ..... 0022149160002

(51) **LOC (10) Cl.** ..... **26-99**

(52) **U.S. Cl.**  
USPC ..... **D26/120**

(58) **Field of Classification Search**  
USPC ..... D26/122, 118, 2, 28, 142, 123, 124, 35,  
D26/116, 113, 74, 75, 5, 6, 67, 68, 69, 72,  
D26/86, 63, 61, 39, 135, 65, 120, 121, 125,  
D26/126, 128, 89, 76, 132, 134, 119;  
362/290, 223, 346, 240, 298, 249.02,  
362/247, 347, 179, 147, 150; D10/114.4,  
D10/11.2, 111; 431/111, 104, 344, 109;  
D13/179, 180  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,717,955 A \* 9/1955 McGinty et al. .... 362/147  
D212,899 S \* 12/1968 Vesely et al ..... D26/24  
D308,423 S \* 6/1990 Galipeau et al. .... D26/67  
D329,239 S \* 9/1992 Hahn ..... D14/219  
D330,268 S \* 10/1992 Jaksich ..... D26/74

6,179,451 B1 \* 1/2001 Bodine et al. .... 362/404  
D469,212 S \* 1/2003 Chiu ..... D26/118  
7,029,153 B2 \* 4/2006 Rhee ..... 362/490  
D558,382 S \* 12/2007 Cesaro ..... D26/86  
D574,994 S \* 8/2008 Boyer ..... D26/120  
D579,598 S \* 10/2008 Santoro ..... D26/76  
D595,450 S \* 6/2009 Ko et al. .... D26/120

(Continued)

*Primary Examiner* — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Caseiro Burke, LLC; Chris A. Caseiro


(57) **CLAIM**

I claim the ornamental design for a light fitting, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom perspective view of a first embodiment of a light fitting showing my new design;  
FIG. 2 is a top perspective view of the light fitting of FIG. 1;  
FIG. 3 is a bottom view of the light fitting of FIG. 1;  
FIG. 4 is a top view of the light fitting of FIG. 1;  
FIG. 5 is a left end view of the light fitting of FIG. 1; the right end view being the same as the left end view;  
FIG. 6 is a left side view of the light fitting of FIG. 1; the right side view being the same as the left side view;  
FIG. 7 is a bottom perspective view of a second embodiment of a light fitting showing my new design;  
FIG. 8 is a top perspective view of the light fitting of FIG. 7;  
FIG. 9 is a bottom view of the light fitting of FIG. 7;  
FIG. 10 is a top view of the light fitting of FIG. 7;  
FIG. 11 is a left end view of the light fitting of FIG. 7; the right end view being the same as the left end view; and,  
FIG. 12 is a left side view of the light fitting of FIG. 7; the right side view being the same as the left side view.

**1 Claim, 12 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D595,896 S *	7/2009	Boyer et al. ....	D26/152	D632,008 S *	2/2011	Kim et al. ....	D26/120
D602,626 S *	10/2009	Santoro et al. ....	D26/76	8,215,799 B2 *	7/2012	Vanden Eynden et al. ...	362/294
D608,931 S *	1/2010	Castelli .....	D26/76	8,382,340 B2 *	2/2013	Boyer et al. ....	362/368
D632,007 S *	2/2011	Kim et al. ....	D26/120	D682,455 S *	5/2013	Apetauer et al. ....	D26/74
				2005/0270788 A1 *	12/2005	Rhee .....	362/488

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12