



US00D708345S

(12) **United States Design Patent**
Brady et al.

(10) **Patent No.:** **US D708,345 S**
(45) **Date of Patent:** **** Jul. 1, 2014**

(54) **COMPRESSION ASSEMBLY TO RELIEVE
MENSTRUAL CRAMPING**

(75) Inventors: **Robert Brady**, Sarasota, FL (US); **Erik
Holmen**, Sarasota, FL (US); **Joel
Chartier**, Bradenton, FL (US); **Ryan
Donahue**, Sarasota, FL (US); **Daniel
Dugas**, Sarasota, FL (US)

(73) Assignee: **Zivaa IP, LLC**, Sarasota, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/431,314**

(22) Filed: **Sep. 6, 2012**

Related U.S. Application Data

(63) Continuation-in-part of application No. 12/824,789,
filed on Jun. 28, 2010, now Pat. No. 8,191,550.

(51) **LOC (10) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/200**

(58) **Field of Classification Search**
USPC D24/128, 188, 200, 201, 206, 207, 216,
D24/224, 227, 229, 230; D9/400-433,
D9/500-502, 737; D3/205, 299; 128/95.1,
128/96.1, 99.1, 845-846; 602/19, 21
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,622,957	A *	11/1986	Curlee	602/13
4,702,235	A *	10/1987	Hong	602/13
5,195,948	A *	3/1993	Hill et al.	602/19
D338,533	S *	8/1993	Burget et al.	D24/206
D342,790	S *	12/1993	Zona	D24/207
D345,799	S *	4/1994	Lamond et al.	D24/188
5,316,022	A *	5/1994	Schiek, Sr.	128/876
5,383,920	A *	1/1995	Sikes	607/112

5,450,858	A *	9/1995	Zablotsky et al.	128/876
5,728,055	A *	3/1998	Sebastian	602/19
5,817,145	A *	10/1998	Augustine et al.	607/96
D403,422	S *	12/1998	Affholter	D24/188
6,361,549	B1 *	3/2002	Asatourian et al.	606/204
6,500,137	B1 *	12/2002	Molino et al.	602/19
6,923,779	B1 *	8/2005	Choiniere	602/19
D598,556	S *	8/2009	Chen	D24/190
D657,445	S *	4/2012	Curran et al.	D24/110
8,156,932	B2 *	4/2012	Lee	128/99.1

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — John Reickel

(74) *Attorney, Agent, or Firm* — Allen, Dyer, Doppelt,
Milbrath & Gilchrist, P.A.


(57) **CLAIM**

The ornamental design for a compression assembly to relieve
menstrual cramping, as shown and described.

DESCRIPTION

FIG. 1 is a right perspective view of the compression assem-
bly to relieve menstrual cramping;
FIG. 2 is a front perspective view of the compression assem-
bly to relieve menstrual cramping;
FIG. 3 is a right view of the compression assembly to relieve
menstrual cramping;
FIG. 4 is a left view of the compression assembly to relieve
menstrual cramping;
FIG. 5 is a back view of the compression assembly to relieve
menstrual cramping;
FIG. 6 is a front view of the compression assembly to relieve
menstrual cramping;
FIG. 7 is a top view of the compression assembly to relieve
menstrual cramping; and,
FIG. 8 is a bottom view of the compression assembly to
relieve menstrual cramping.
Broken line is included for the purpose of illustrating portions
of the article and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,191,550	B2 *	6/2012	Lee et al.	128/99.1	2009/0173340	A1 *	7/2009	Lee	128/106.1
D663,029	S *	7/2012	Holmen et al.	D24/143	2009/0292230	A1 *	11/2009	Anquetil	602/19
2008/0289623	A1 *	11/2008	Lee	128/96.1	2011/0015708	A1 *	1/2011	Lee et al.	607/112
2008/0294081	A1 *	11/2008	Moulin	602/19	2013/0085552	A1 *	4/2013	Mandel	607/99
						2013/0303956	A1 *	11/2013	Anglada et al.	602/19

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 8