



US00D708610S

(12) **United States Design Patent**
Ahn et al.

(10) **Patent No.:** **US D708,610 S**
(45) **Date of Patent:** **** Jul. 8, 2014**

(54) **ELECTRONIC DEVICE**

(71) Applicant: **Samsung Electronics, Ltd**, Suwon-Si (KR)

(72) Inventors: **Dae Kyung Ahn**, Namyangjusi (KR); **Chul-Yong Cho**, Seoul (KR); **Sangmin Hyun**, Seoul (KR); **Eun Vit Chung**, Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**, Suwon-si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/472,104**

(22) Filed: **Nov. 8, 2013**

(30) **Foreign Application Priority Data**

May 10, 2013 (KR) 30-2013-0024841

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/345**

(58) **Field of Classification Search**

USPC D14/341–347, 336, 337, 371, 374, 138, D14/496; D10/65; 345/173, 901, 104, 133, 345/156, 168; 348/180, 184, 325, 739, 373, 348/376; 385/88; 710/62; 455/575.3, 575.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D391,987 S * 3/1998 Jambhekar et al. D14/345
D445,787 S * 7/2001 Francis D14/345
D491,942 S * 6/2004 Takahashi D14/374
D493,463 S * 7/2004 Takahashi D14/373
D507,567 S * 7/2005 Yonekawa et al. D14/345
D517,545 S * 3/2006 Buckel et al. D14/345
D555,656 S * 11/2007 Bishop et al. D14/448
D580,432 S * 11/2008 Yun et al. D14/345

D584,726 S * 1/2009 Morita D14/341
D585,444 S * 1/2009 Verschoor D14/345
D610,612 S * 2/2010 Rhee D19/26
D614,183 S * 4/2010 Mason D14/345
D618,683 S * 6/2010 Wilson et al. D14/371
D624,517 S * 9/2010 Lee et al. D14/138 AB
D626,124 S * 10/2010 Chyan et al. D14/341
D626,342 S * 11/2010 Chadwick D6/308
D631,043 S * 1/2011 Kell D14/341
D631,455 S * 1/2011 Kim et al. D14/138 AB
D639,806 S * 6/2011 Lee et al. D14/345
D641,353 S * 7/2011 Rashid et al. D14/341
D644,219 S * 8/2011 Sawada D14/345
D658,173 S * 4/2012 Kim D14/345
D680,531 S * 4/2013 Honda et al. D14/345

(Continued)

Primary Examiner — Barbara Fox

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an electronic device showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left-side view thereof;

FIG. 5 is a right-side view thereof;

FIG. 6 is the top view thereof;

FIG. 7 is the bottom view thereof;



FIG. 8 is a rear perspective view thereof;

FIG. 9 is an enlarged bottom view, in which the electronic device is provided in a closed position to illustrate an example environment; and,

FIG. 10 is another front perspective view of the electronic device of FIG. 1.

The broken lines shown in the drawings represent portions of the electronic device which form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D680,532 S * 4/2013 Reeves et al. D14/345

D693,323 S * 11/2013 Kawase et al. D14/138 AB

D696,665 S * 12/2013 Nakano et al. D14/345

2004/0202858 A1 * 10/2004 Lee 428/332

2010/0177047 A1 * 7/2010 Brenneman et al. 345/173

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10

