



US00D708616S

(12) **United States Design Patent**
Nakata

(10) **Patent No.:** **US D708,616 S**
(45) **Date of Patent:** **** Jul. 8, 2014**

(54) **STYLUS PEN WITH CAP**

(71) Applicant: **Wacom Co., Ltd.**, Kazo (JP)

(72) Inventor: **Takaaki Nakata**, Kuki (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/476,536**

(22) Filed: **Dec. 13, 2013**

(30) **Foreign Application Priority Data**

Jul. 3, 2013 (JP) 2013-15165

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/411**

(58) **Field of Classification Search**

USPC D8/61; D14/411; D19/35, 36, 41-51,
D19/54-58; 401/55, 99, 100, 104-107, 196,
401/197, 202, 208, 209, 213, 192, 195,
401/243; 708/107; 345/179, 173;
178/19.01; 700/94

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D264,854 S 6/1982 Spiegel
D451,137 S * 11/2001 Reichmann D19/36
D456,411 S * 4/2002 Kourushi D14/411

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1060539 S 2/2000
WO DM/066549 S 5/2005

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a stylus pen with cap, as shown and described.

DESCRIPTION

FIG. 1 is a top rear right perspective view of a stylus pen with cap showing my new design;
FIG. 2 is a bottom front right perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a right side elevation view thereof, wherein the left side elevation view is a mirror image of the right side elevation view;
FIG. 5 is a rear elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a side elevation view of the stylus pen shown in FIG. 1 with the cap removed for convenience of illustration, thus exposing a stylus end of the stylus pen;
FIG. 9 is a top plan view thereof;
FIG. 10 is a bottom plan view thereof;
FIG. 11 is a front elevation view of the cap of the stylus pen shown in FIG. 1, with the stylus pen removed for convenience of illustration;
FIG. 12 is a right side elevation view thereof, wherein the left side elevation view is a mirror image of the right side elevation view;
FIG. 13 is a rear elevation view thereof;
FIG. 14 is a top plan view thereof;
FIG. 15 is a bottom plan view thereof;
FIG. 16 is a bottom front left perspective view of the stylus pen with cap shown in FIG. 1 with the cap affixed to a non-stylus end of the stylus pen;
FIG. 17 is a top front left perspective view thereof; and,
FIG. 18 is a front elevation view thereof.
The broken lines shown in FIG. 15 define the bounds of the claimed design and form no part thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D491,983 S * 6/2004 Izushima D19/49
D612,424 S * 3/2010 Suero et al. D19/41
D631,095 S * 1/2011 Mizutani D19/45
D644,227 S * 8/2011 Son D14/411
D655,292 S 3/2012 Nakata
D659,141 S * 5/2012 Watson D14/411

D669,896 S * 10/2012 Nakata D14/411
D669,897 S 10/2012 Nakata
D669,898 S 10/2012 Nakata
D682,276 S * 5/2013 Nakata D14/411
D684,578 S * 6/2013 Son D14/411
D686,618 S * 7/2013 Wilson et al. D14/411
D686,619 S * 7/2013 Liu D14/411
D694,756 S * 12/2013 Nakata D14/411

* cited by examiner



Fig. 1.




Fig. 2.



Fig. 3.



Fig. 4.




Fig. 5.



Fig. 6.



Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.



Fig. 16.




Fig. 17.




Fig. 18.