

US00D708701S

(12) United States Design Patent

Spraw et al.

(10) Patent No.: US D708,701 S (45) Date of Patent: ** *Jul. 8, 2014

(54)	FLUID A	PPLICATOR			
(71)	Applicants	:Bradley Alan Spraw, Maumee, OH (US); Craig A. Williams, Maumee, OH (US)			
(72)	Inventors:	Bradley Alan Spraw, Maumee, OH (US); Craig A. Williams, Maumee, OH (US)			
(73)	Assignee:	Designetics, Inc., Holland, OH (US)			
(*)	Notice:	This patent is subject to a terminal disclaimer.			
(**)	Term:	14 Years			
(21)	Appl. No.:	29/465,143			
(22)	Filed:	Aug. 23, 2013			
(51)	LOC (10) Cl				
(52)	U.S. Cl. USPC	D23/213			
(58)	Field of Classification Search USPC D23/213; D9/723, 724; 239/589, 597, 239/601; 401/55, 266, 205, 206; 118/264 See application file for complete search history.				

References Cited

(56)

U.S. PATENT DOCUMENTS

D372,070 S *	7/1996	Zak et al	D23/213
6,981,664 B1*	1/2006	Fugere	239/591

D535,721	S	*	1/2007	Ford et al D23/213	
D567,899	S	*	4/2008	Rigolio D23/213	
7,708,211	B2	*	5/2010	Maier et al 239/456	
D639,903	S	*	6/2011	Plotzitzka et al D23/213	
D667,530	S	*	9/2012	Wyne D23/213	
D670.357	\mathbf{S}	*	11/2012	Lang et al	

^{*} cited by examiner

Primary Examiner — Robin V Webster (74) Attorney, Agent, or Firm — Donald K. Wedding


(57) CLAIM

The ornamental design for a fluid applicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our ornamental design for a fluid applicator containing two sets of four holes, the holes in each set being radially spaced 90° apart. The four holes in one set are located near the distal end and the four holes in the other set are located near the proximal end. Four holes are shown in FIG. 1, the other four holes being located on the opposite perspective side view which is identical to FIG. 1. FIG. 2 is a top view of our design shown in FIG. 1. FIG. 3 is a side plan view of our design showing two holes, with the other side plan views being identical; and, FIG. 4 is a bottom view of our design shown in FIG. 1. The fluid applicator is used to apply a fluid to a surface. The applicator is open at the top end straight through up to and including the bottom end.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4