



US00D709143S

(12) **United States Design Patent**  
**Johnson**

(10) **Patent No.:** **US D709,143 S**

(45) **Date of Patent:** **\*\* Jul. 15, 2014**

(54) **BEAR PLUSH TOY**

(71) Applicant: **Cloud B, Inc.**, Gardena, CA (US)

(72) Inventor: **Jeffery Wayne Johnson**, Lawndale, CA (US)

(73) Assignee: **Cloud B, Inc.**, Gardena, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/444,836**

(22) Filed: **Feb. 4, 2013**

(51) **LOC (10) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/604**

(58) **Field of Classification Search**  
CPC ..... A63H 3/00; A63H 3/02; A63H 3/14  
USPC ..... D21/576-578, 585, 587-588, 604-605;  
446/72-73, 97-98, 268-269, 297, 369;  
D6/598; D11/158, 162; D30/160  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D290,262	S	*	6/1987	Hoxie et al.	.....	D21/604
D302,712	S	*	8/1989	Henn et al.	.....	D21/604
D312,675	S	*	12/1990	Yockey	.....	D21/604
D322,469	S	*	12/1991	Berger et al.	.....	D21/604
5,071,385	A	*	12/1991	Cox	.....	446/369
D370,678	S	*	6/1996	Yau	.....	D21/604
D405,188	S	*	2/1999	Evans	.....	D21/604

D408,200	S	*	4/1999	Lewis et al.	.....	D6/598
D474,817	S	*	5/2003	Rogers et al.	.....	D21/604
6,685,532	B1	*	2/2004	McLean	.....	446/369
6,949,001	B1	*	9/2005	Brewer, Jr.	.....	446/369
D540,401	S	*	4/2007	Conrath et al.	.....	D21/604
7,241,196	B1	*	7/2007	Nikliborc et al.	.....	446/369
D609,284	S	*	2/2010	Markland et al.	.....	D21/604
D625,369	S	*	10/2010	Raimondi	.....	D21/604
7,887,387	B2	*	2/2011	Colvin	.....	446/369

OTHER PUBLICATIONS

Dankin 1995 Plush toy catalog. p. 5, "Betty" bear.\*

\* cited by examiner

*Primary Examiner* — Sandra Morris

(74) *Attorney, Agent, or Firm* — Brooks Acordia IP Law, PC

(57) **CLAIM**


The ornamental design for a bear plush toy, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective elevation view of a bear plush toy showing our new design;  
FIG. 2 is a top plan view of the embodiment of FIG. 1;  
FIG. 3 is a front elevation view of the embodiment of FIG. 1;  
FIG. 4 is a left elevation view of the embodiment of FIG. 1;  
FIG. 5 is a rear elevation view of the embodiment of FIG. 1;  
and,  
FIG. 6 is a bottom plan view of the embodiment of FIG. 1.  
Surface shading is used to shade FIGS. 1-6 to show clearly the character and contour of all surfaces of the 3-dimensional aspects of the design and form a part of the design sought to be protected.

**1 Claim, 3 Drawing Sheets**






*FIG. 1*




*FIG. 2*


*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*