



US00D709145S

(12) **United States Design Patent**  
**Johnson**

(10) **Patent No.:** **US D709,145 S**  
(45) **Date of Patent:** **\*\* Jul. 15, 2014**

(54) **BUNNY PLUSH TOY**

(71) Applicant: **Cloud B, Inc.**, Gardena, CA (US)  
(72) Inventor: **Jeffery Wayne Johnson**, Lawndale, CA (US)

(73) Assignee: **Cloud B, Inc.**, Gardena, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/444,831**

(22) Filed: **Feb. 4, 2013**

(51) **LOC (10) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/655**

(58) **Field of Classification Search**  
CPC ..... A63H 3/00; A63H 3/02; A63H 3/14  
USPC ..... D21/576-578, 585, 587-588, 655;  
446/72-73, 97-98, 268-269, 297, 369;  
D6/598; D11/158, 162; D30/160  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D166,845 S *	5/1952	Bonafide	.....	D21/655
D295,654 S *	5/1988	Henn et al.	.....	D21/655
D375,334 S *	11/1996	Moghaddami	.....	D21/587
5,975,980 A *	11/1999	Whiteneck	.....	446/369
D432,599 S *	10/2000	Jager	.....	D21/655
D478,364 S *	8/2003	Steele-Kurtin et al.	.....	D21/655
D522,593 S *	6/2006	Kennedy	.....	D21/655
D534,225 S *	12/2006	Standley	.....	D21/655
D586,230 S *	2/2009	Pierre	.....	D21/655

**OTHER PUBLICATIONS**

Princess Soft Toys 1994 Brochure, p. 5. Rugabuns C bunny.\*  
Aurora 2009 Easter Catalog. p. 17, promo bunny.\*

\* cited by examiner

*Primary Examiner* — Sandra Morris

(74) *Attorney, Agent, or Firm* — Brooks Acordia IP Law, P.C.



(57) **CLAIM**


The ornamental design for a bunny plush toy, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective elevation view of a bunny plush toy showing our new design;  
FIG. 2 is a top plan view of the embodiment of FIG. 1;  
FIG. 3 is a front elevation view of the embodiment of FIG. 1;  
FIG. 4 is a right side elevation view of the embodiment of FIG. 1;  
FIG. 5 is a left side elevation view of the embodiment of FIG. 1;  
FIG. 6 is a rear elevation view of the embodiment of FIG. 1; and,  
FIG. 7 is a bottom plan view of the embodiment of FIG. 1.  
Surface shading is used to shade FIGS. 1-7 to show clearly the character and contour of all surfaces of the 3-dimensional aspects of the design and form a part of the design sought to be protected.

**1 Claim, 4 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*