



US00D709244S

(12) **United States Design Patent**  
**Drake**

(10) **Patent No.:** **US D709,244 S**  
(45) **Date of Patent:** **\*\* Jul. 15, 2014**

- (54) **LIGHTING FIXTURE**
- (71) Applicant: **Boyd Lighting Fixture Company**,  
Sausalito, CA (US)
- (72) Inventor: **Jamie Drake**, New York, NY (US)
- (73) Assignee: **Boyd Lighting Fixutre Company**,  
Sausalito, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/460,643**
- (22) Filed: **Jul. 12, 2013**
- (51) **LOC (10) Cl.** ..... **26-99**
- (52) **U.S. Cl.**  
USPC ..... **D26/153**
- (58) **Field of Classification Search**  
CPC ..... H01K 1/22; H01K 1/24; H01K 1/42;  
H01K 1/46; H01K 5/00; F21K 9/00; F21K  
9/10; F21K 9/137; F21K 9/30  
USPC ..... D26/24, 61, 63, 64, 72, 80, 84, 87, 140,  
D26/141, 142, 143, 145, 147, 151, 152, 153,  
D26/155; 362/147, 151, 269, 277, 285, 319,  
362/368, 369, 371, 405  
See application file for complete search history.

D408,576 S	4/1999	Crosby	
D413,999 S	9/1999	Diaz-Azcuy	
D414,289 S	9/1999	Diaz-Azcuy	
D418,624 S	1/2000	Vanderbyl	
D419,713 S	1/2000	Diaz-Azcuy	
D419,714 S	1/2000	Diaz-Azcuy	
D441,125 S	4/2001	Crosby	
D441,487 S	5/2001	Crosby	
D442,317 S	5/2001	Crosby	
D442,728 S *	5/2001	Littman	..... D26/87
D454,971 S	3/2002	Crosby	
D455,223 S	4/2002	Crosby	
D532,146 S	11/2006	Crosby	
D532,147 S	11/2006	Crosby	
D550,885 S	9/2007	Crosby	
D556,372 S *	11/2007	Chan	..... D26/145
D558,912 S	1/2008	Crosby	
D560,025 S *	1/2008	Shulem	..... D26/142
D575,893 S *	8/2008	Castellucci et al.	..... D26/87
D576,767 S	9/2008	Gutkin	

(Continued)

*Primary Examiner* — Deanna L Pratt  
*Assistant Examiner* — Natasha Vujcic  
(74) *Attorney, Agent, or Firm* — Heslin Rothenberg Farley  
& Mesiti P.C.

(57) **CLAIM**  
The ornamental design for a lighting fixture, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D61,804 S *	1/1923	Gerth	..... D26/153
D61,940 S *	2/1923	Yokel	..... D26/153
D62,039 S *	3/1923	Wagner	..... D26/153
D388,222 S	12/1997	Barry	
D388,224 S	12/1997	Barry	
D394,125 S	5/1998	Barry	
D394,726 S	5/1998	Crosby	
D395,729 S *	6/1998	Littman et al.	..... D26/87
D402,074 S	12/1998	Crosby	
D403,796 S	1/1999	Crosby	

**DESCRIPTION**

FIG. 1 is a perspective view of a lighting fixture in accordance with the new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof; and,  
FIG. 5 is a bottom view thereof.  
The broken lines in the drawings illustrate portions of the lighting fixture which form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS


D577,147 S 9/2008 Kirar  
D583,094 S 12/2008 Chan  
D588,305 S 3/2009 Chan  
D588,306 S 3/2009 Chan

D594,152 S \* 6/2009 Miranda ..... D26/152  
D614,343 S \* 4/2010 Chiu ..... D26/93  
D615,697 S 5/2010 Otero  
D646,426 S 10/2011 Wolk  
D673,723 S \* 1/2013 Cartwright ..... D26/142  
D673,727 S \* 1/2013 Cartwright ..... D26/142  
D694,464 S \* 11/2013 Parres ..... D26/133


\* cited by examiner




**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**