



US00D709463S

(12) **United States Design Patent**  
**Junko et al.**

(10) **Patent No.:** **US D709,463 S**  
(45) **Date of Patent:** **\*\* Jul. 22, 2014**

(54) **SQUARE SWITCH**

(75) Inventors: **Theodore Junko**, Manlius, NY (US);  
**Taesuk Yang**, Wallingford, CT (US);  
**Phillip Prestigomo**, Simsbury, CT (US);  
**Gerald Savicki, Jr.**, Canastota, NY  
(US); **Pierre-Yves Panis**, Isle (FR)

(73) Assignee: **Pass & Seymour, Inc.**, Syracuse, NY  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/414,397**

(22) Filed: **Feb. 28, 2012**

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/169**


(58) **Field of Classification Search**  
USPC ..... D13/162, 169, 174; 307/139, 157;  
200/5 R, 5 A, 302.2, 520, 530, 293, 296,  
200/308, 310, 314, 315, 329, 339, 341;  
315/209 R, 224, 246, 291, 294, 295  
See application file for complete search history.

D539,236 S 3/2007 Mayo et al.  
D539,237 S 3/2007 Mayo et al.  
D539,757 S 4/2007 Mayo et al.  
D540,266 S 4/2007 Mayo et al.  
D540,267 S 4/2007 Larson et al.  
D540,748 S 4/2007 Larson et al.  
D541,221 S 4/2007 Spira  
D541,222 S 4/2007 Mayo et al.  
D541,223 S 4/2007 Mayo et al.  
D541,224 S 4/2007 Mayo et al.  
D541,755 S 5/2007 Spira  
D542,226 S 5/2007 Spira  
D542,227 S 5/2007 Larson et al.  
D542,229 S 5/2007 Larson et al.  
D542,231 S 5/2007 Mayo et al.  
D542,737 S 5/2007 Spira  
D543,510 S 5/2007 Larson et al.  
D544,450 S 6/2007 Mierta et al.  
D545,770 S 7/2007 Mayo et al.  
D545,771 S 7/2007 Jacoby et al.  
D546,293 S 7/2007 Mayo et al.  
D546,775 S 7/2007 Mayo et al.  
D546,776 S 7/2007 Mierta et al.  
D546,777 S 7/2007 Mierta et al.  
D546,778 S 7/2007 Mierta et al.  
D546,779 S 7/2007 Mierta et al.  
D547,273 S 7/2007 Mierta et al.  
D547,274 S 7/2007 Mierta et al.  
D547,731 S 7/2007 Larson et al.  
D547,732 S 7/2007 Kumar  
D548,194 S 8/2007 Spira  
D551,176 S 9/2007 Hollner  
D551,177 S 9/2007 Larson et al.  
D551,630 S 9/2007 Larson et al.  
D557,662 S 12/2007 Spira  
D557,664 S 12/2007 Hewsen et al.  
D557,665 S 12/2007 Hewsen et al.  
D559,710 S 1/2008 Jacoby et al.  
D560,619 S 1/2008 Hewsen et al.  
D567,767 S 4/2008 Hewsen et al.  
D569,351 S 5/2008 Hewsen et al.  
D571,312 S 6/2008 Hewsen et al.  
D572,664 S 7/2008 Hollner et al.  
D572,665 S 7/2008 Hollner et al.  
D573,546 S 7/2008 Hollner  
D573,956 S 7/2008 Hollner et al.  
D574,333 S 8/2008 Hewson et al.  
D576,566 S \* 9/2008 Wu et al. .... D13/169  
D576,958 S 9/2008 Hollner  
D580,374 S 11/2008 Hewson et al.  
D580,881 S 11/2008 Hollner et al.  
D580,882 S 11/2008 Hollner et al.  
D583,335 S \* 12/2008 Ni ..... D13/169

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,651,296 A \* 3/1972 Yarbrough ..... 200/315  
4,808,778 A \* 2/1989 Fujiyoshi ..... 200/339  
5,036,168 A \* 7/1991 Kikuchi et al. .... 200/5 R  
D360,876 S \* 8/1995 Hughes ..... D13/177  
5,934,451 A \* 8/1999 Yu et al. .... 200/315  
D440,946 S \* 4/2001 Yu ..... D13/169  
D499,703 S \* 12/2004 Barone ..... D13/174  
6,891,117 B1 \* 5/2005 Gouhl et al. .... 200/339  
D509,805 S 9/2005 Spira  
D510,073 S 9/2005 Jacoby et al.  
D510,074 S 9/2005 Larson et al.  
D518,446 S \* 4/2006 Hedderich et al. .... D13/162  
7,026,564 B1 \* 4/2006 Savicki et al. .... 200/339  
D523,824 S \* 6/2006 Lombardi et al. .... D13/169  
D533,844 S 12/2006 Larson et al.  
D534,875 S \* 1/2007 Wu ..... D13/169  
D538,755 S 3/2007 Mayo et al.  
D539,233 S 3/2007 Mayo et al.



|                   |         |                 |           |
|-------------------|---------|-----------------|-----------|
| D585,840 S        | 2/2009  | Hollner         |           |
| D585,841 S        | 2/2009  | Hollner         |           |
| D585,883 S        | 2/2009  | Kaneko          |           |
| D585,884 S        | 2/2009  | Pletikosa       |           |
| D586,760 S        | 2/2009  | Hollner et al.  |           |
| D586,762 S *      | 2/2009  | Nichols et al.  | D13/171   |
| D588,070 S        | 3/2009  | Hollner et al.  |           |
| D588,071 S        | 3/2009  | Hollner et al.  |           |
| D588,072 S        | 3/2009  | Hollner et al.  |           |
| D588,073 S        | 3/2009  | Hollner         |           |
| D588,074 S        | 3/2009  | Hollner         |           |
| D588,075 S        | 3/2009  | Hollner         |           |
| D595,663 S        | 7/2009  | Hollner         |           |
| D595,665 S        | 7/2009  | Hollner         |           |
| D609,650 S *      | 2/2010  | Chou et al.     | D13/169   |
| 7,667,155 B1 *    | 2/2010  | Ni et al.       | 200/556   |
| D614,589 S        | 4/2010  | Altonen et al.  |           |
| D619,972 S        | 7/2010  | Felegy et al.   |           |
| D624,880 S        | 10/2010 | Felegy et al.   |           |
| D649,122 S *      | 11/2011 | Jacoby et al.   | D13/162   |
| D649,123 S *      | 11/2011 | Jacoby et al.   | D13/164   |
| D651,182 S *      | 12/2011 | Alderson et al. | D13/169   |
| 8,459,812 B2 *    | 6/2013  | Wu et al.       | 362/23.01 |
| 2002/0056628 A1 * | 5/2002  | Capella         | 200/314   |
| 2006/0065510 A1 * | 3/2006  | Kiko et al.     | 200/1 R   |
| 2007/0193863 A1 * | 8/2007  | Wu              | 200/61.72 |
| 2008/0078665 A1 * | 4/2008  | Egea Soler      | 200/315   |
| 2009/0189542 A1 * | 7/2009  | Wu et al.       | 315/294   |
| 2013/0277191 A1 * | 10/2013 | Trolese et al.  | 200/501   |

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Daniel P. Malley; Bond Schoeneck & King, PLLC

(57) **CLAIM**

The ornamental design for a square switch, as shown and described.

**DESCRIPTION**

FIG. 1 is a full isometric view of a square switch having an annular light transmissive region or annular marking, the switch being shown as it comes from the factory on its mounting plate, the plate and integral hardware behind it being shown in environmental lines;

FIG. 2 is the same isometric view of the switch depicted in FIG. 1 as seen extending through a central square shaped opening of a wall plate cover, the wall plate cover being shown in environmental lines;

FIG. 3 is a front view of the switch depicted in FIG. 1 (Note: no back side plan view is shown because nothing is claimed about that side of the invention);

FIG. 4 is a left side elevation view of the switch depicted in FIG. 1 (Note: a right side elevation view is omitted because it is the mirror image of the left side elevation view);

FIG. 5 is a top view of the switch depicted in FIG. 1 (Note: a bottom side view is omitted because it is the mirror image of the top side elevation view);

FIG. 6 is another alternate embodiment of the square switch depicted in FIGS. 1-5, the switch including a center light transmissive region or marking surrounded by an annular light transmissive region or marking;

FIG. 7 is a full isometric view of a square switch having an annular light transmissive region or annular marking, the switch being shown as it comes from the factory on its mounting plate, the plate and integral hardware behind it being shown in environmental lines;

FIG. 8 is the same isometric view of the switch depicted in FIG. 7 as seen extending through a central square shaped opening of a wall plate cover, the wall plate cover being shown in environmental lines;

FIG. 9 is a front elevation view of the switch depicted in FIG. 7 (Note: no back elevation view is shown because nothing is claimed about that side of the invention);

FIG. 10 is a left side elevation view of the switch depicted in FIG. 7 (Note: a right side elevation view is omitted because it is the mirror image of the left side elevation view);

FIG. 11 is a top plan view of the switch depicted in FIG. 7 (Note: a bottom plan view is omitted because it is the mirror image of the top plan elevation view);

FIG. 12 is another alternate embodiment of the square switch depicted in FIGS. 7-11, the switch including a center light transmissive region or marking surrounded by an annular light transmissive region or marking;

FIG. 13 is a full isometric view of a square switch having an annular light transmissive region or annular marking within a concave annular region, the switch being shown as it comes from the factory on its mounting plate, the plate and integral hardware behind it being shown in environmental lines;

FIG. 14 is the same isometric view of the switch depicted in FIG. 13 as seen extending through a central square shaped opening of a wall plate cover, the wall plate cover being shown in environmental lines;

FIG. 15 is a front elevation view of the switch depicted in FIG. 13 (Note: no back elevation view is shown because nothing is claimed about that side of the invention);

FIG. 16 is a left side elevation view of the switch depicted in FIG. 13 (Note: the right side elevation view is the mirror image of the left side elevation view);

FIG. 17 is a top plan view of the switch depicted in FIG. 13 (Note: the bottom plan view is the mirror image of the top plan view); and,

FIG. 18 is another alternate embodiment of the square switch depicted in FIGS. 13-17, the switch including a center light transmissive region or marking surrounded by an annular light transmissive region or marking disposed with a concave annular region.

The broken line showing of the environment is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets**

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




Fig. 7




Fig. 8






Fig. 9




Fig. 10




Fig. 11



Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16



Fig. 17




Fig. 18

