

US00D709636S

(12) **United States Design Patent** (10) **Patent No.:** **US D709,636 S**
Murata et al. (45) **Date of Patent:** **** Jul. 22, 2014**

(54) **LIGHTING FIXTURE**

(56) **References Cited**

(71) Applicant: **Toshiba Lighting & Technology Corporation**, Kanagawa (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Kazuyuki Murata**, Tokyo (JP);
Akimichi Takahashi, Kanagawa (JP);
Jun Ooshima, Kanagawa (JP); **Yasuhiro Sano**, Kanagawa (JP)

D295,329	S	*	4/1988	Roos et al.		D26/75
D377,993	S	*	2/1997	Herst et al.		D26/107
D502,565	S	*	3/2005	Hetfield		D26/76
D579,138	S	*	10/2008	Ghini		D26/76
D581,079	S	*	11/2008	Mier-Langner		D26/72
D606,229	S	*	12/2009	Johansen et al.		D26/80
D608,043	S	*	1/2010	Ko		D26/76
D642,725	S	*	8/2011	Kong et al.		D26/76

(Continued)

(73) Assignee: **Toshiba Lighting & Technology Corporation**, Kanagawa (JP)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

JP	1373927	11/2009
JP	1468916	5/2013
JP	D1491083	2/2014

(21) Appl. No.: **29/460,036**

OTHER PUBLICATIONS

(22) Filed: **Jul. 8, 2013**

Toshiba Lighting & Technology Corporation, "http://www.tlt.co.jp/tlt/products/new/20130516/20130516.htm", retrived on Jun. 14, 2013, "LED base light: AQ series", with a partial English translation and explanation thereof, p. 1-6.

(30) **Foreign Application Priority Data**

(Continued)

May 24, 2013 (JP) 2013-011381

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/72**

(58) **Field of Classification Search**

CPC F21S 2/00; F21S 4/00; F21S 4/003-4/008;
F21S 6/00; F21S 8/00; F21S 8/024-8/026;
F21S 8/031; F21S 8/033; F21S 8/035-8/037;
F21S 8/04-8/043; F21S 8/063

USPC D26/3, 24, 35, 39, 42, 71, 72, 75, 76,
D26/78, 79, 80, 81, 82, 83, 85, 88, 90, 118,
D26/119, 120, 121, 122, 138; 362/23.07,
362/23.09, 23.16, 217.01, 217.02, 217.05,
362/217.08, 217.09, 249.02, 260, 311.02,
362/555, 612, 614, 800

See application file for complete search history.


Primary Examiner — Deanna L Pratt
Assistant Examiner — Natasha Vujcic
(74) *Attorney, Agent, or Firm* — Jianq Chyun IP Office

(57) **CLAIM**
The ornamental design for a lighting fixture, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a lighting fixture showing our new design;
FIG. 2 is a front view thereof, the rear view being a mirror image of the front view;
FIG. 3 is a right side view thereof, the left side view being a mirror image of the right side view;
FIG. 4 is a top view thereof; and,
FIG. 5 is a bottom view thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

U.S. PATENT DOCUMENTS

D647,241 S * 10/2011 Takahashi et al. D26/76
D649,673 S * 11/2011 Liang et al. D26/72
D663,065 S * 7/2012 Beghelli D26/76
D671,254 S * 11/2012 Miyatake et al. D26/75
D693,048 S * 11/2013 Ng et al. D26/89
D695,443 S * 12/2013 Kaule et al. D26/76
D695,942 S * 12/2013 Ng et al. D26/75
2011/0199767 A1 * 8/2011 Marquardt et al. 362/235
2013/0033858 A1 * 2/2013 Sugishita et al. 362/217.14

Toshiba Lighting & Technology Corporation, Pamphlet of “LED
base light; AQ series” issued on May 2013, with a partial English
translation and explanation thereof, p. 1-3.
“Office Action of Japan Counterpart Application”, with English
translation thereof, mailed on Feb. 19, 2014, p. 1-p. 4.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5