



US00D709637S

(12) **United States Design Patent**
Terzani

(10) **Patent No.:** **US D709,637 S**
(45) **Date of Patent:** **** Jul. 22, 2014**

(54) **LIGHTING FIXTURE**

(71) Applicant: **Terzani S.R.L.**, Scandicci (IT)

(72) Inventor: **Nicolas Terzani**, Scandicci (IT)

(73) Assignee: **Terzani S.r.l.**, Scandicci (FI) (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/434,511**

(22) Filed: **Oct. 12, 2012**

(30) **Foreign Application Priority Data**

Apr. 12, 2012 (EM) 002024612-0001
Apr. 12, 2012 (EM) 002024612-0002

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/83**; D26/84

(58) **Field of Classification Search**
USPC D26/81, 82, 83, 84, 85, 86, 88, 89, 90,
D26/91, 128, 135; 362/147, 404-408, 431,
362/432
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D39,323 S *	5/1908	Phelps	D26/128
D65,919 S *	11/1924	Monroe	D26/89
D80,225 S *	12/1929	Halvorson	D26/128
D161,830 S *	2/1951	Grossman	D26/128
D210,796 S *	4/1968	Jose	D26/102
D218,474 S *	8/1970	Devine	D26/131
D222,105 S *	9/1971	Encausse	D27/156
D387,448 S *	12/1997	Barthelmess	D26/25
5,868,490 A *	2/1999	Barthelmess	362/249.16
D438,332 S *	2/2001	Pratt	D26/131
D461,272 S *	8/2002	Davis, Jr.	D26/128
D462,296 S *	9/2002	Bates et al.	D11/146

D481,155 S *	10/2003	Cline et al.	D26/128
D481,489 S *	10/2003	Cline et al.	D26/128
D494,310 S *	8/2004	Cline et al.	D26/128
D495,822 S *	9/2004	Yoneda	D26/124
D538,460 S *	3/2007	Rugee	D26/84
D556,361 S *	11/2007	Arbel	D26/88
D559,427 S *	1/2008	Zupan	D26/88
D597,243 S *	7/2009	Trumble et al.	D26/84
D613,448 S *	4/2010	Lovegrove	D26/86
D628,740 S *	12/2010	Arbel	D26/128
D632,835 S *	2/2011	Arbel	D26/128
D633,639 S *	3/2011	Vincent	D26/85
2003/0043580 A1 *	3/2003	Hsu	362/249
2003/0223238 A1 *	12/2003	Hsu et al.	362/255

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Hedman & Costigan, P.C.;
James V. Costigan; Kathleen A. Costigan

(57) **CLAIM**


I claim the ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, perspective view of a lighting fixture according to the present invention;
FIG. 2 is a right side perspective view thereof;
FIG. 3 is a front perspective view thereof;
FIG. 4 is a left side perspective view thereof, from a direction which is substantially opposite to the view shown in FIG. 2;
FIG. 5 is a rear perspective view thereof, from a direction which is substantially opposite to the view shown in FIG. 3;
FIG. 6 is a bottom plan view of the lighting fixture shown in FIG. 1; and,
FIG. 7 is a top perspective view of the lighting fixture of FIG. 1.

The environmental subject matter shown in broken lines in the drawings forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7