



US00D709681S

(12) **United States Design Patent**
Williams, Jr.

(10) **Patent No.:** **US D709,681 S**
(45) **Date of Patent:** **** Jul. 29, 2014**

- (54) **SHOE MIDSOLE**
- (71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)
- (72) Inventor: **Robert C. Williams, Jr.**, Tigard, OR (US)
- (73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/472,458**
- (22) Filed: **Nov. 12, 2013**
- (51) **LOC (10) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/947; D2/959**
- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/3 B, 22 R, 24.5, 25 R,
36/28, 32 R, 34 R, 59 C, 67 A, 103
See application file for complete search history.

D574,602 S *	8/2008	Grenet	D2/977
D602,682 S *	10/2009	Joules	D2/910
D641,143 S *	7/2011	Niedner et al.	D2/946
D662,697 S	7/2012	Portzline		
D674,996 S *	1/2013	Sallee	D2/946
D677,450 S	3/2013	Amphyon		
D682,516 S	5/2013	Avar et al.		
D689,675 S	9/2013	Hardman		
D691,785 S *	10/2013	Chang	D2/947
D696,501 S *	12/2013	Miner	D2/947
D696,502 S *	12/2013	Miner	D2/947
D696,503 S *	12/2013	Miner	D2/947

OTHER PUBLICATIONS

Nike Footwear Catalog, 2013 Fall: Mens Performance Footwear, p. 5, published Nov. 2012, NIKE, Inc., USA.

* cited by examiner

Primary Examiner — T. Chase Nelson
(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**
The ornamental design for a shoe midsole, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of a shoe midsole showing my new design;
FIG. 2 is a side view thereof; and,
FIG. 3 is a rear perspective view thereof.
The broken lines immediately adjacent to the shaded area represent unclaimed boundaries of the design. The contrast in shading represents a contrast in appearance and does not represent any particular color, material, texture or finish. The broken lines showing the remainder of the shoe are for environmental purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D329,528 S	9/1992	Hatfield	
D330,798 S	11/1992	Hatfield et al.	
D330,970 S	11/1992	Hatfield et al.	
D332,344 S	1/1993	Hatfield et al.	
D333,207 S	2/1993	Smith	
D333,551 S	3/1993	Bailey	
D334,279 S	3/1993	Teague	
5,224,277 A *	7/1993	Sang Do 36/27
6,389,713 B1 *	5/2002	Kita 36/30 R
6,516,539 B2 *	2/2003	Nishiwaki et al. 36/28
D499,878 S	12/2004	Rask	
D524,034 S *	7/2006	Hlavacs D2/977
D543,686 S *	6/2007	Andersen et al. D2/969
D545,534 S *	7/2007	McClaskie D2/959
D572,462 S	7/2008	Hatfield et al.	






FIG. 1




FIG. 2




FIG. 3