



US00D709954S

(12) **United States Design Patent**  
**Kasper et al.**

(10) **Patent No.:** **US D709,954 S**

(45) **Date of Patent:** **\*\* Jul. 29, 2014**

(54) **TIME INDICATING LABEL**

(71) Applicant: **Brady Worldwide, Inc.**, Milwaukee, WI (US)

(72) Inventors: **Matthew Martin Kasper**, Oak Creek, WI (US); **Adam Daniel Scheuer**, Fox Point, WI (US); **Richard Scott Roehr**, Hales Corners, WI (US)

(73) Assignee: **Brady Worldwide, Inc.**, Milwaukee, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/439,555**

(22) Filed: **Dec. 12, 2012**

(51) **LOC (10) Cl.** ..... **19-08**

(52) **U.S. Cl.**  
USPC ..... **D20/27**

(58) **Field of Classification Search**  
CPC ..... G09F 29/00; G09F 3/00; G09F 3/04; G09F 3/08; G09F 3/10; G09F 3/14; G09F 3/16; G09F 3/20; G09F 3/207; G09F 3/0288; G09F 3/0289; G09F 23/00; G09F 7/18; G09F 7/22; G09F 1/00; G09F 1/02; G09B 23/00; G09B 29/00  
USPC ..... D20/10, 11, 18–20, 22–28, 40, 99; D19/1, 9, 10; D24/189, 225; 40/124.01–124.09, 124.11–124.19, 40/124.191, 299.01, 306, 307, 310–313, 40/316, 359, 360, 625, 630, 638, 641, 672, 40/675; 128/893; 283/56, 71, 81, 101, 283/105; 428/40.1, 42.1–42.3, 914; 602/58

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D290,136	S	*	6/1987	Ball et al.	.....	D19/9
4,917,112	A	*	4/1990	Kalt	.....	602/58
5,915,733	A	*	6/1999	Schnitzer et al.	.....	283/108
5,958,536	A	*	9/1999	Gelsinger et al.	.....	428/40.1
6,073,377	A	*	6/2000	Mehta	.....	40/638
6,651,362	B2	*	11/2003	Caveney	.....	40/316
D508,535	S	*	8/2005	Kosek	.....	D20/10
7,425,898	B2	*	9/2008	Ryckman	.....	340/572.1
D646,789	S	*	10/2011	Barth	.....	D24/189
8,037,628	B2	*	10/2011	Kaufman	.....	40/310
D650,863	S	*	12/2011	Fiero	.....	D20/27
2004/0016035	A1	*	1/2004	Floyd	.....	D24/225
2010/0293067	A1	*	11/2010	Gacek	.....	705/26

\* cited by examiner

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Whyte Hirschboeck Dudek S.C.


(57) **CLAIM**



The ornamental design for a time indicating label, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a time indicating label; FIG. 2 is a top view thereof; FIG. 3 is an edge view thereof; FIG. 4 is a bottom view thereof; FIG. 5 is an opposite edge view thereof; FIG. 6 is a side view thereof; and, FIG. 7 is an opposite side view thereof. The broken lines shown in the figures are for illustrative environmental purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**








FIG. 3

FIG. 4

FIG. 5




FIG. 6

FIG. 7