



US00D710196S

(12) **United States Design Patent**
Ivosevic

(10) **Patent No.:** **US D710,196 S**
(45) **Date of Patent:** **** Aug. 5, 2014**

(54) **SOFT CAP FOR A CONNECTOR**

(75) Inventor: **Milan Ivosevic**, Kinnelon, NJ (US)

(73) Assignee: **Becton Dickinson and Company Limited**, Dun Laoghaire (IE)

(**) Term: **14 Years**

(21) Appl. No.: **29/431,793**

(22) Filed: **Sep. 11, 2012**

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/445**; D9/454

(58) **Field of Classification Search**

USPC D7/396.2, 507, 509, 510, 511; D9/417,
D9/434, 435, 439, 440, 443, 446, 447, 449,
D9/453, 454; D24/121; 215/235, 236, 307,
215/311; 222/212, 484, 556; 285/332.2;
604/192, 411, 413, 414, 533, 905

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,816,550	A *	12/1957	Hudson		604/413
4,191,225	A *	3/1980	Ogle		141/329
D406,769	S *	3/1999	Ackroyd		D9/558
D443,040	S *	5/2001	Fabian et al.		D23/260
D448,294	S *	9/2001	Alscher et al.		D9/435
6,394,983	B1	5/2002	Mayoral et al.		
6,409,708	B1	6/2002	Wessman		
D511,461	S *	11/2005	Seys		D9/522
D536,614	S *	2/2007	Peterson et al.		D9/454
D597,840	S *	8/2009	Biesecker et al.		D9/454
7,744,581	B2	6/2010	Wallen et al.		
7,867,215	B2	1/2011	Akerlund et al.		
D633,387	S *	3/2011	Gatto		D9/454
D633,389	S *	3/2011	Jorgensen		D9/503
D645,747	S *	9/2011	Yu		D9/503

D657,675	S *	4/2012	Averill		D9/454
D688,946	S *	9/2013	Pirincci		D9/454
2005/0215976	A1	9/2005	Wallen		
2010/0249745	A1	9/2010	Ellstrom		

FOREIGN PATENT DOCUMENTS

WO 2012163409 A1 12/2012

OTHER PUBLICATIONS

Silver Rubber Grease Fitting Cap, by Lumax dated Jul. 5, 2011, found online Mar. 24, 2014. http://www.amazon.com/Lumax-LX-1458-Silver-Rubber-Fitting/dp/B000MS5T4W/ref=pd_sim_sbs_indust_2?ie=UTF8&refRID=0XE48DT2Q85TW66AHHRZ.*

* cited by examiner

Primary Examiner — Robert M Spear

Assistant Examiner — Marissa Cash

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**

The ornamental design for a soft cap for a connector, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a soft cap for a connector in accordance with the present invention.

FIG. 2 is a top view of the soft cap for a connector of FIG. 1. FIG. 3 is a front view of the soft cap for a connector of FIG. 1, with the rear view, left side view, and right side view being identical thereto.

FIG. 4 is a bottom view of the soft cap for a connector of FIG. 1; and,

FIG. 5 is a cross-sectional view of the soft cap for a connector of FIG. 1 taken along line 5-5 of FIG. 2.

1 Claim, 3 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG. 4




FIG. 5