



US00D711233S

(12) **United States Design Patent**
Henriksson

(10) **Patent No.:** **US D711,233 S**
(45) **Date of Patent:** **** Aug. 19, 2014**

- (54) **SNUFF CONTAINER LID**
- (71) Applicant: **Nina Henriksson**, Stockholm (SE)
- (72) Inventor: **Nina Henriksson**, Stockholm (SE)
- (73) Assignee: **Swedish Match North Europe AB**, Stockholm (SE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/445,578**
- (22) Filed: **Feb. 13, 2013**
- (51) **LOC (10) Cl.** **09-01**
- (52) **U.S. Cl.**
USPC **D9/451**
- (58) **Field of Classification Search**
USPC D7/514–520, 613, 619.2, 623, 628,
D7/392.1; D9/600, 667, 669, 500–504,
D9/516, 529, 434–435, 441, 444–445,
D9/451; 206/494, 457, 459.1, 459.5;
215/230, 400
See application file for complete search history.

D603,261 S *	11/2009	Arnell et al.	D9/453
D644,118 S *	8/2011	Giles	D9/667
D644,119 S *	8/2011	Giles	D9/667
D651,519 S *	1/2012	Gibson et al.	D9/529
D669,953 S *	10/2012	Gold	D21/796
D677,568 S *	3/2013	Sina	D9/451

* cited by examiner

Primary Examiner — Sandra Morris

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP.

(57) **CLAIM**

The ornamental design for a snuff container lid, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a snuff container lid according to the new design;
 FIG. 2 is a plan view of the snuff container lid according to the first embodiment;
 FIG. 3 is a perspective view of the snuff container lid illustrated in the environment of a snuff container according to the first embodiment;
 FIG. 4 is a perspective view of the snuff container lid illustrated in the environment of a snuff container according to the first embodiment;
 FIG. 5 is a bottom perspective view of the snuff container lid illustrated in the environment of the snuff container lid according to the first embodiment;
 FIG. 6 is a bottom perspective view of the snuff container lid illustrated in the environment of the snuff container lid according to the first embodiment;
 FIG. 7 is a front view of the snuff container lid according to the first embodiment;
 FIG. 8 is a sectional view along the line 8 of FIG. 7 of the snuff container lid according to the first embodiment;
 FIG. 9 is a sectional view along the line 8 of FIG. 7 of the snuff container lid according to the first embodiment;
 FIG. 10 is a side view of the snuff container lid according to the first embodiment;
 FIG. 11 is a rear side view of the snuff container lid according to the first embodiment;
 FIG. 12 is a bottom view of the snuff container lid according to the first embodiment;

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,388,841 A *	6/1968	McHardy et al.	D9/451
D242,768 S *	12/1976	Frohling	D9/669
D314,912 S *	2/1991	Rey Pascual	D9/500
D332,403 S *	1/1993	Johnson, III	D9/451
D476,572 S *	7/2003	Merritt	D9/504
D494,064 S *	8/2004	Hook	D9/451
D494,474 S *	8/2004	Houk et al.	D9/504
D509,432 S *	9/2005	Hierzer et al.	D9/447
D510,524 S *	10/2005	Houk et al.	D9/503
D512,636 S *	12/2005	Pace	D9/504
D513,386 S *	1/2006	Pace et al.	D9/504
D514,936 S *	2/2006	Pace et al.	D9/504
D515,426 S *	2/2006	Pace et al.	D9/504
D515,429 S *	2/2006	Pace	D9/529
D515,928 S *	2/2006	Pace	D9/504
D523,752 S *	6/2006	Bried et al.	D9/504
D541,176 S *	4/2007	Bried	D9/504
D581,809 S *	12/2008	Wichowski	D9/504
D592,956 S *	5/2009	Thiellier	D9/504




FIG. 13 is a bottom view of the snuff container lid according to the first embodiment;

FIG. 14 is a perspective view of a second embodiment of a snuff container lid according to the new design;

FIG. 15 is a plan view of the snuff container lid according to the second embodiment;

FIG. 16 is a perspective view of the snuff container lid illustrated in the environment of a snuff container according to the second embodiment;

FIG. 17 is a perspective view of the snuff container lid illustrated in the environment of a snuff container according to the second embodiment;

FIG. 18 is a bottom perspective view of the snuff container lid illustrated in the environment of the snuff container lid according to the second embodiment;

FIG. 19 is a bottom perspective view of the snuff container lid illustrated in the environment of the snuff container lid according to the second embodiment;

FIG. 20 is a front view of the snuff container lid according to the second embodiment;

FIG. 21 is a sectional view along the line 21 of FIG. 20 of the snuff container lid according to the second embodiment;

FIG. 22 is a sectional view along the line 21 of FIG. 20 of the snuff container lid according to the second embodiment;

FIG. 23 is a side view of the snuff container lid according to the second embodiment;

FIG. 24 is a rear side view of the snuff container lid according to the second embodiment;

FIG. 25 is a bottom view of the snuff container lid according to the second embodiment;

FIG. 26 is a bottom view of the snuff container lid according to the second embodiment;

FIG. 27 is a perspective view of a third embodiment of a snuff container lid according to the new design;

FIG. 28 is a plan view of the snuff container lid according to the third embodiment;

FIG. 29 is a perspective view of the snuff container lid illustrated in the environment of a snuff container according to the third embodiment;

FIG. 30 is a perspective view of the snuff container lid illustrated in the environment of a snuff container according to the third embodiment;

FIG. 31 is a bottom perspective view of the snuff container lid illustrated in the environment of the snuff container lid according to the third embodiment;

FIG. 32 is a bottom perspective view of the snuff container lid illustrated in the environment of the snuff container lid according to the third embodiment;

FIG. 33 is a front view of the snuff container lid according to the third embodiment;

FIG. 34 is a sectional view along the line 34 of FIG. 33 of the snuff container lid according to the third embodiment;

FIG. 35 is a sectional view along the line 34 of FIG. 33 of the snuff container lid according to the third embodiment;

FIG. 36 is a side view of the snuff container lid according to the third embodiment;

FIG. 37 is a rear side view of the snuff container lid according to the third embodiment;

FIG. 38 is a bottom view of the snuff container lid according to the third embodiment; and,

FIG. 39 is a bottom view of the snuff container lid according to the third embodiment.

1 Claim, 21 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21



FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33



FIG. 34



FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39