



US00D711272S

(12) **United States Design Patent**
Reibel et al.

(10) **Patent No.:** **US D711,272 S**
(45) **Date of Patent:** **** Aug. 19, 2014**

(54) **MOUNTABLE SECURITY DETECTOR**

(71) Applicant: **RSI Video Technologies, Inc.**, Vadnais Heights, MN (US)

(72) Inventors: **Jean-Michel Reibel**, Vadnais Heights, MN (US); **Sami Saad**, Vadnais Heights, MN (US)

(73) Assignee: **RSI Video Technologies, Inc.**, Vadnais Heights, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/451,861**

(22) Filed: **Apr. 9, 2013**

(51) **LOC (10) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/106.7**

(58) **Field of Classification Search**
USPC D10/106.1–106.5, 104.1, 106.9, 106.95,
D10/108; 340/521, 540–545, 555, 558,
340/571–573

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,266,216	A	5/1981	Trusty	
4,347,590	A	8/1982	Heger et al.	
4,540,977	A	9/1985	Taillens et al.	
D302,951	S	8/1989	Kotlicki et al.	
4,864,136	A	9/1989	Behlke	
D307,560	S	5/1990	Andrews et al.	
D307,875	S *	5/1990	Mallory	D10/106.6
D312,054	S	11/1990	Melman	
5,077,548	A	12/1991	Dipoala	
5,382,944	A	1/1995	Dipoala et al.	
5,398,057	A	3/1995	Tapp	
5,424,718	A	6/1995	Muller et al.	
5,448,290	A	9/1995	Van Zeeland	
5,448,320	A	9/1995	Sakai et al.	

5,450,062	A	9/1995	DiPoala	
5,473,368	A	12/1995	Hart	
D381,283	S	7/1997	Soreo	
5,657,076	A	8/1997	Tapp	
D383,078	S *	9/1997	Carmi	D10/106.6
D399,155	S	10/1998	Roberts	
5,819,124	A	10/1998	Sommer et al.	
D409,936	S	5/1999	Baldwin et al.	
5,980,123	A	11/1999	Heifler	
6,049,273	A	4/2000	Hess	
6,271,752	B1	8/2001	Vaios	
6,285,912	B1	9/2001	Ellison et al.	
6,411,209	B1	6/2002	Lyons et al.	
6,476,858	B1	11/2002	Ramirez Diaz et al.	
D485,774	S *	1/2004	Hwang et al.	D10/106.6

(Continued)

FOREIGN PATENT DOCUMENTS

DE	10150745	A1	4/2003
EP	676733	A	10/1995

(Continued)

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Crawford Maunu PLLC

(57) **CLAIM**

The ornamental design for mountable security detector, as shown and described.

DESCRIPTION


FIG. 1 is a front view of the mountable security detector according to an embodiment of the present invention.

FIG. 2 is a perspective front view of the mountable security detector according to an embodiment of the present invention; and,

FIG. 3 is a top down view of the mountable security detector according to an embodiment of the present invention.

The broken line showing of the rear of the design and openings on the front of the design is included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,690,414 B2

2/2004

Lyons et al.

6,700,487 B2

3/2004

Lyons et al.

6,759,957 B2

7/2004

Murakami et al.

6,940,405 B2

9/2005

Script et al.

D516,445 S

3/2006

DiPasquale

7,079,028 B2

7/2006

Herrmann et al.

D527,296 S

8/2006

Concari et al.

D537,746 S *

3/2007

Kageyama D10/106.6

D628,103 S *

11/2010

Schmalz et al. D10/70

8,520,068 B2

8/2013

Naidoo et al.

2003/0065407 A1

4/2003

Johnson et al.

2003/0193563 A1

10/2003

Suzuki

2003/0202117 A1

10/2003

Garner

2004/0109059 A1

6/2004

Kawakita

2004/0155781 A1

8/2004

DeOme

2004/0205823 A1

10/2004

Tsai

2004/0205824 A1

10/2004

Tsai

2005/0024206 A1

2/2005

Samarasekera et al.

2005/0030180 A1

2/2005

Pantus et al.

2005/0134454 A1

6/2005

Eskildsen

2005/0200494 A1

9/2005

Herrmann et al.

FOREIGN PATENT DOCUMENTS

EP

811959 A

12/1997

EP

0856826 A2

8/1998

EP

1115264 A2

7/2001

EP

1363260 A1

11/2003

EP

1499098 A1

1/2005

EP

1316933 B1

8/2006

GB

2325548 A

11/1998

GB

2358504 A

7/2001

JP

01236397 A

9/1989

JP

11154292 A

6/1999

JP

2003233889 A

8/2003

JP

2005071064 A

3/2005

WO

0003367 A1

1/2000

WO

0246919 A2

6/2002

WO

2004064355 A2

7/2004

WO

2004079684 A1

9/2004

WO

2004114648 A2

12/2004

WO

2005065196 A2

7/2005

* cited by examiner




FIG. 1




FIG. 2



FIG. 3