

US00D711439S

(12) **United States Design Patent**
Garg

(10) **Patent No.:** **US D711,439 S**

(45) **Date of Patent:** **** Aug. 19, 2014**

(54) **COLDNESS/HEAT PRESERVING CONTAINER**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Innovation Thru Energy Co., Ltd.,**
Tokyo (JP)

4,804,083	A	*	2/1989	Weeks	206/216
D322,383	S	*	12/1991	Jones	D15/90
D336,595	S	*	6/1993	Jones	D15/90
D351,532	S	*	10/1994	Wolfenden	D7/605
D473,572	S	*	4/2003	Linberg et al.	D15/90
D537,850	S	*	3/2007	Moore et al.	D15/90
D537,851	S	*	3/2007	Mount	D15/90
D538,309	S	*	3/2007	Mount	D15/90
D700,636	S	*	3/2014	Maggioni	D15/90
D700,637	S	*	3/2014	Maggioni	D15/90

(72) Inventor: **Pankaj Garg,** Tokyo (JP)

(73) Assignee: **Innovation Thru Energy Co., Ltd.,**
Tokyo (JP)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner — Mitchell Siegel

(21) Appl. No.: **29/459,876**

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(22) Filed: **Jul. 3, 2013**

(57) **CLAIM**

The ornamental design for a coldness/heat preserving container, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Jan. 10, 2013 (JP) 2013-000343

(51) **LOC (10) Cl.** **15-07**

FIG. 1 is a front elevational view of the coldness/heat preserving container showing my design, the rear view being identical thereto;

(52) **U.S. Cl.**
USPC **D15/90**

FIG. 2 is a top plan view thereof, the bottom plan view being identical thereto;

(58) **Field of Classification Search**
USPC D15/90; 62/125, 457.1–457.9; 249/119,
249/121; D7/605–607


FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a cross-section taken across line A-A of FIG. 2; and,
FIG. 6 is a cross-section taken on line B-C-D-E of FIG. 2.

See application file for complete search history.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6