



US00D711611S

(12) **United States Design Patent**
Dallaire

(10) **Patent No.:** **US D711,611 S**
(45) **Date of Patent:** **** Aug. 19, 2014**

- (54) **HELMET RETURNING BIN**
- (71) Applicant: **PBSC Solutions Urbaines Inc.,**
Longueuil (CA)
- (72) Inventor: **Michel Dallaire, Montreal (CA)**
- (73) Assignee: **PCSC Solutions Urbaines Inc.,**
Longueuil (CA)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/455,863**
- (22) Filed: **May 24, 2013**
- (51) **LOC (10) Cl.** **09-09**
- (52) **U.S. Cl.**
USPC **D34/7**
- (58) **Field of Classification Search**
USPC D34/1-11; 220/908, 908.1, 911, 912,
220/913
See application file for complete search history.

D597,721 S *	8/2009	Brockington et al.	D34/7
D616,171 S *	5/2010	Rizzi	D34/7
D641,119 S *	7/2011	Rampton et al.	D34/1
D652,599 S *	1/2012	Kane	D34/1
D672,109 S *	12/2012	Moore	D34/6
D684,332 S *	6/2013	Gollob	D34/1
D696,482 S *	12/2013	Nelson	D34/1

* cited by examiner

Primary Examiner — Cynthia Ramirez
(74) *Attorney, Agent, or Firm* — Robic, LLP


(57) **CLAIM**
The ornamental design for a helmet returning bin, as shown and described.

DESCRIPTION

FIG. 1 is a front, right, perspective view of a helmet returning bin showing my new design invention;
FIG. 2 is a rear, left, perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof; and,
FIG. 9 is a front, right, perspective view of the helmet returning bin mounted on an elongated support base.
The broken lines in the figures are included for the purpose of illustrating environment and form no part of the claimed design.

1 Claim, 8 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D216,739 S * 3/1970 Marsh D34/8
D236,375 S * 8/1975 Moriconi et al. D15/123
D322,703 S * 12/1991 Dosunmu D34/7
D326,344 S * 5/1992 Fitermann et al. D34/11
5,242,220 A * 9/1993 Sandreth 312/311
D422,753 S * 4/2000 Einarson D28/77






FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8




FIG.9