



US00D711660S

(12) **United States Design Patent**
Henderson

(10) **Patent No.:** **US D711,660 S**

(45) **Date of Patent:** **** Aug. 26, 2014**

(54) **BICYCLE SEAT STORAGE DEVICE**

(74) *Attorney, Agent, or Firm* — Mark Wisnosky

(71) Applicant: **Neal Henderson**, Escondido, CA (US)

(57) **CLAIM**

(72) Inventor: **Neal Henderson**, Escondido, CA (US)

The ornamental design for a bicycle seat storage device, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/456,266**

DESCRIPTION

(22) Filed: **May 29, 2013**

(51) **LOC (10) Cl.** **12-11**

(52) **U.S. Cl.**
USPC **D6/354**

(58) **Field of Classification Search**

CPC B62J 1/02; B62J 1/08; B62J 1/00;
B62J 1/26; B62J 1/28; B62J 1/002; B62J
1/10; B62J 1/005; B62J 1/12; B62J 1/007;
B62J 1/04; B62J 1/06; B62J 1/18; B62K
19/36; B62K 9/02; B62K 3/005
USPC D6/354, 340; D12/111, 112; 297/195.1,
297/196–215.16; 267/132; 224/427, 275,
224/441, 451, 460

See application file for complete search history.

FIG. 1 a bottom view of a bicycle seat storage device.
FIG. 2 is a top view of the bicycle seat storage device of FIG. 1.
FIG. 3 is a right side view of the bicycle seat storage device of FIG. 1.
FIG. 4 is a left side view of the bicycle seat storage device of FIG. 1.
FIG. 5 is a front view of the bicycle seat storage device of FIG. 1.
FIG. 6 is a rear view of the bicycle seat storage device of FIG. 1.
FIG. 7 is a perspective top view of the bicycle seat storage device of FIG. 1.
FIG. 8 is a perspective bottom view of the bicycle seat storage device of FIG. 1.
FIG. 9 a bottom view of a second embodiment of the bicycle seat storage device.
FIG. 10 is a top view of the bicycle seat storage device of FIG. 9.
FIG. 11 is a right side view of the bicycle seat storage device of FIG. 9.
FIG. 12 is a left side view of the bicycle seat storage device of FIG. 9.
FIG. 13 is a front view of the bicycle seat storage device of FIG. 9.
FIG. 14 is a rear view of the bicycle seat storage device of FIG. 9.
FIG. 15 is a perspective top view of the bicycle seat storage device of FIG. 9; and,
FIG. 16 is a perspective bottom view of the bicycle seat storage device of FIG. 9.

(56) **References Cited**

U.S. PATENT DOCUMENTS


456,792	A *	7/1891	Brooks	297/202
458,609	A *	9/1891	Willis	297/207
483,559	A *	10/1892	Hunt	297/202
D281,932	S *	12/1985	Schneider	D6/354
4,643,343	A *	2/1987	Goldman et al.	224/275
4,712,592	A	12/1987	Brown	
5,127,563	A *	7/1992	Chan et al.	224/438
5,190,345	A *	3/1993	Lin	297/188.12
5,474,270	A	12/1995	Rixen et al.	
5,893,501	A *	4/1999	Schwimmer	224/427
7,008,012	B1	3/2006	Chang	
7,341,308	B2 *	3/2008	Milton	297/202

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — Jennifer Watkins

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,712,827	B2 *	5/2010	Yu	297/195.1			
2003/0025364	A1 *	2/2003	Antonio	297/202			
2006/0186160	A1 *	8/2006	Hubbe	224/427			
2007/0068986	A1 *	3/2007	Lien et al.	224/427			
2008/0036171	A1	2/2008	Vroomen et al.				
2008/0246245	A1 *	10/2008	Hung	280/220			
2009/0039125	A1 *	2/2009	Bock et al.	224/275			
2009/0039127	A1	2/2009	Dacko				
2010/0072238	A1 *	3/2010	Pape et al.	224/425			
2012/0061435	A1	3/2012	Lavery				
2013/0043198	A1 *	2/2013	Bleazard	211/19			

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11



Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16