



US00D711706S

(12) **United States Design Patent**  
**Votolato**

(10) **Patent No.:** **US D711,706 S**  
(45) **Date of Patent:** **\*\* Aug. 26, 2014**

- (54) **TELESCOPING RESET/TESTING TOOL WITH INTERCHANGEABLE HEADS**
- (76) Inventor: **Earl Votolato**, Newport Beach, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/428,907**
- (22) Filed: **Aug. 3, 2012**
- (51) **LOC (10) Cl.** ..... **08-05**
- (52) **U.S. Cl.**  
USPC ..... **D8/14**
- (58) **Field of Classification Search**  
USPC ..... D8/14, 107; D22/149; 294/19.1-19.2,  
294/26, 65.5, 175, 210; D10/75, 77, 78, 99,  
D10/100, 103, 114.9  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

584,133	A *	6/1897	McIntire	105/354
2,319,992	A *	5/1943	Hubbard	294/174
3,474,833	A *	10/1969	Garrette, Jr. et al.	138/120
3,535,627	A *	10/1970	Copeland	324/726
3,987,807	A	10/1976	Varnell	
4,203,332	A	5/1980	Corsetti	
D257,239	S *	10/1980	Johnson	D10/103
D267,999	S *	2/1983	Rhoades	D8/14
4,422,682	A	12/1983	O'Connell	
4,586,741	A	5/1986	Muti	
4,726,263	A	2/1988	Lake	
D300,404	S *	3/1989	Lauer	D8/98
4,899,050	A	2/1990	Cianflone	
5,220,707	A	6/1993	Newman, Sr. et al.	
5,487,576	A *	1/1996	DuVivier	294/210
5,951,074	A	9/1999	Guzzi et al.	
6,242,704	B1	6/2001	Ambrose et al.	
6,293,601	B1 *	9/2001	Johnson	294/26
6,379,020	B1	4/2002	Lewis et al.	

(Continued)

OTHER PUBLICATIONS

Utility Solutions, Inc.; Blue Strip Telescopic Hot Stick; internet website printout; <http://www.utilitysolutions.com>.

*Primary Examiner* — Philip S Hyder  
*Assistant Examiner* — Roselynn Cody

(74) *Attorney, Agent, or Firm* — Lauson & Tarver LLP; Robert J. Lauson


(57) **CLAIM**

I claim the ornamental design for a telescoping reset/testing tool with interchangeable heads, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of the telescoping reset/testing tool with interchangeable heads. FIG. 2 is a front view of the first embodiment, and the rear view is a mirror image thereof. FIG. 3 is a right side view of the first embodiment, and the left side view is a mirror image thereof. FIG. 4 is a top view of the first embodiment. FIG. 5 is a bottom view of the first embodiment. FIG. 6 is a perspective view of a second embodiment of the telescoping reset/testing tool with interchangeable heads. FIG. 7 is a front view of the second embodiment. FIG. 8 is a right side view of the second embodiment. FIG. 9 is a left side view of the second embodiment. FIG. 10 is a top view of the second embodiment. FIG. 11 is a bottom view of the second embodiment. FIG. 12 is a perspective view of a third embodiment of the telescoping reset/testing tool with interchangeable heads. FIG. 13 is a front view of the third embodiment, and the rear view is a mirror image thereof. FIG. 14 is a right side view of the third embodiment, and the left side view is a mirror image thereof. FIG. 15 is a top view of the third embodiment; and, FIG. 16 is a bottom view of the third embodiment.

**1 Claim, 3 Drawing Sheets**







(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,450,557 B1 *	9/2002	Martinez	294/210
D475,258 S *	6/2003	Wilson	D8/14
D482,113 S	11/2003	Jones	
D493,680 S *	8/2004	Raymond	D8/14
D497,086 S *	10/2004	Lopes	D8/14
D520,854 S *	5/2006	Barrett	D8/307
D566,495 S *	4/2008	Hackmann	D8/14
D573,424 S *	7/2008	Mitchell	D8/14
7,490,880 B1 *	2/2009	Matsui	294/210
7,725,969 B1 *	6/2010	Osteyee	7/118
D656,373 S *	3/2012	Martin	D8/14
8,220,852 B2 *	7/2012	Fenstermaker	294/51
2004/0189028 A1 *	9/2004	Newman et al.	294/19.1
2007/0018467 A1 *	1/2007	Schwartz	294/19.1
2009/0236867 A1 *	9/2009	Shepherd	294/158
2011/0101716 A1 *	5/2011	Nolte et al.	294/19.1

\* cited by examiner




*FIG. 4*




*FIG. 5*


*FIG. 6*





*FIG. 7*



*FIG. 8*







*FIG. 9*



*FIG. 10*



*FIG. 11*



*FIG. 15*



*FIG. 16*