



US00D711851S

(12) **United States Design Patent**
Houghton et al.

(10) **Patent No.:** **US D711,851 S**

(45) **Date of Patent:** **** Aug. 26, 2014**

(54) **HEADSET FOR A COMMUNICATION DEVICE**

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Gary J. Cunningham

(71) Applicant: **Motorola Mobility LLC**, Libertyville, IL (US)

(72) Inventors: **Christopher B Houghton**, Chicago, IL (US); **Dickon Isaacs**, Chicago, IL (US); **William C. Phelps, III**, Lawrenceville, GA (US); **Mark D Zaveson**, Antioch, IL (US)

(73) Assignee: **Motorola Mobility LLC**, Chicago, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/459,626**

(22) Filed: **Jul. 2, 2013**

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/206**

(58) **Field of Classification Search**
CPC H04R 1/10
USPC D14/205, 223; 181/129, 130, 135;
379/430, 431; 381/380, 381, 322, 330;
D24/174; 455/90.3, 575.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D179,150 S * 11/1956 Norris D14/192
D447,743 S * 9/2001 Ma D14/223

(Continued)

OTHER PUBLICATIONS

Motorola, "Motorola Elite Sliver", Jul. 2, 2013, <http://www.motorola.com/us/consumers/Motorola-Elite-Sliver-Bluetooth%C2%AE-Headset>, 2 pages.


(57) **CLAIM**

The ornamental design for a headset for a communication device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of an ornamental design for a headset for a communication device; FIG. 2 is a rear perspective view of the first embodiment thereof; FIG. 3 is a front view of the first embodiment thereof; FIG. 4 is a rear view of the first embodiment thereof; FIG. 5 is a first side view of the first embodiment thereof; FIG. 6 is a second side view of the first embodiment thereof; FIG. 7 is a top view of the first embodiment thereof; and FIG. 8 is a bottom view of the first embodiment thereof. FIG. 9 is a front perspective view of a second embodiment of an ornamental design for a headset for a communication device; FIG. 10 is a rear perspective view of the second embodiment thereof; FIG. 11 is a front view of the second embodiment thereof; FIG. 12 is a rear view of the second embodiment thereof; FIG. 13 is a first side view of the second embodiment thereof; FIG. 14 is a second side view of the second embodiment thereof; FIG. 15 is a top view of the second embodiment thereof; and, FIG. 16 is a bottom view of the second embodiment thereof. The broken lines shown in FIGS. 1-16 that are immediately adjacent to the shaded areas, and define unshaded regions, represent the bounds of the first and second embodiments, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the first and second embodiments.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D470,121 S *	2/2003	Nguyen et al.	D14/205	D571,784 S *	6/2008	Jensen et al.	D14/205
D512,984 S *	12/2005	Ham	D14/205	D601,126 S *	9/2009	Christopher et al.	D14/206
D520,496 S *	5/2006	Gwee	D14/223	D657,347 S *	4/2012	Chung et al.	D14/206
D521,492 S *	5/2006	Ham	D14/205	D670,262 S *	11/2012	Mitchell et al.	D14/138 G
D539,266 S *	3/2007	Bentley et al.	D14/205	D681,002 S *	4/2013	Ham et al.	D14/205
D541,787 S *	5/2007	Ma	D14/205	2004/0077387 A1 *	4/2004	Sayag et al.	455/575.2
D557,255 S *	12/2007	Shintani	D14/206	2011/0268304 A1 *	11/2011	Ang et al.	381/330
				2013/0322646 A1 *	12/2013	Davie et al.	381/74
				2013/0345170 A1 *	12/2013	Eddy	514/63
				2014/0016810 A1 *	1/2014	Fideler et al.	381/330

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

FIG. 16

