

US00D712052S

(12) **United States Design Patent**
Thomas et al.

(10) **Patent No.:** **US D712,052 S**

(45) **Date of Patent:** **** Aug. 26, 2014**

(54) **PORTABLE TENS DEVICE**

(71) Applicant: **Modular Therapeutx, LLC**, Soddy Daisy, TN (US)

(72) Inventors: **Charles M. Thomas**, Hixson, TN (US); **D. Keith Hagy**, Chattanooga, TN (US); **Donald Kay Riker**, Soddy Daisy, TN (US); **Nathan Anderson Pollock**, Suffolk Park (AU); **Brad Peter Ryan**, Graceville (AU); **Lee Anthony Rodezno**, Rowville (AU); **Troy Christiaan Nyssen**, Flemington (AU)

(73) Assignee: **Modular Therapeutx, LLC**, Soddy Daisy, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/484,480**

(22) Filed: **Mar. 10, 2014**

Related U.S. Application Data

(62) Division of application No. 29/395,407, filed on Jan. 13, 2012, now Pat. No. Des. 704,848.

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/200**

(58) **Field of Classification Search**
USPC D24/169, 186, 200, 209-210; D10/78, D10/81; D13/168; 340/12.22; 607/48
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D331,201 S * 11/1992 Koch D10/65
5,607,454 A * 3/1997 Cameron et al. 607/5
D463,436 S * 9/2002 Dow et al. D14/426
D467,003 S * 12/2002 Gerth D24/200

D469,184 S * 1/2003 Gerth et al. D24/200
D469,542 S * 1/2003 Gerth D24/200
D474,753 S * 5/2003 Blum et al. D13/168
6,584,359 B1 * 6/2003 Motoi 607/76
D477,880 S * 7/2003 Moretto D24/200
D510,075 S * 9/2005 Arz et al. D13/168
D511,213 S * 11/2005 Hasegawa D24/200
D597,211 S * 7/2009 Ewing et al. D24/187
D609,706 S * 2/2010 Helt et al. D14/426
D624,593 S * 9/2010 Prendiville et al. D19/62
D645,968 S * 9/2011 Kasabach et al. D24/186
D698,738 S * 2/2014 Baggio et al. D13/168
D700,342 S * 2/2014 Hiramura D24/169

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — John Reickel

(74) *Attorney, Agent, or Firm* — Chambliss, Bahner & Stophel, P.C.

(57) **CLAIM**

The ornamental design for a portable tens device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the portable tens device of our new design.

FIG. 2 is a bottom perspective view of the portable tens device of our new design.

FIG. 3 is a front view of the portable tens device of our new design.

FIG. 4 is a rear view of the portable tens device of our new design.


FIG. 5 is a right side view of the portable tens device of our new design.

FIG. 6 is a left side view of the portable tens device of our new design.

FIG. 7 is a top view of the portable tens device of our new design; and,

FIG. 8 is a bottom view of the portable tens device of our new design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D701,610 S * 3/2014 Thomas et al. D24/200
D702,355 S * 4/2014 Laplante et al. D24/186
D702,851 S * 4/2014 Lee et al. D24/209

D704,848 S * 5/2014 Thomas et al. D24/200
2007/0123952 A1 * 5/2007 Strother et al. 607/48
2009/0228068 A1 * 9/2009 Buhlmann et al. 607/48
2009/0240304 A1 * 9/2009 Blum et al. 607/48
2012/0116478 A1 * 5/2012 Buhlmann et al. 607/48

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8