



US00D712134S

(12) **United States Design Patent**
Gunter et al.

(10) **Patent No.:** **US D712,134 S**
(45) **Date of Patent:** **** Sep. 2, 2014**

(54) **CHILD CARRIER**
(75) Inventors: **Mark Gunter**, York, SC (US); **Jeanna Rimmer**, Gastonia, SC (US); **Delsie Herrera**, Charlotte, NC (US); **William Flood**, Fort Mill, SC (US)
(73) Assignee: **Britax Child Safety, Inc.**, Charlotte, NC (US)
(**) Term: **14 Years**

D486,635 S * 2/2004 Yagisawa D3/213
D488,922 S * 4/2004 Refsum D3/213
6,736,299 B2 5/2004 Bergkvist
6,763,983 B2 * 7/2004 Norman 224/160
D507,102 S 7/2005 Bergkvist et al.
D507,869 S * 8/2005 Liistro et al. D3/214
6,988,644 B1 * 1/2006 Asherbranner 224/160
7,007,353 B2 3/2006 Bergkvist
7,070,076 B2 7/2006 Bergkvist
7,255,620 B1 * 8/2007 Shepherd et al. 441/88
7,284,503 B2 10/2007 Elmberg
7,322,498 B2 1/2008 Frost

(Continued)

(21) Appl. No.: **29/398,163**
(22) Filed: **Jul. 27, 2011**

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/035,616, filed on Feb. 25, 2011.
(51) **LOC (10) Cl.** **03-99**
(52) **U.S. Cl.**
USPC **D3/214**
(58) **Field of Classification Search**
USPC D3/213-316; D2/719, 828-831;
2/309-311, 102; 224/158-159, 160
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D253,558 S * 12/1979 Carter D3/214
D255,180 S * 6/1980 Raz D3/214
D266,800 S * 11/1982 Kula et al. D3/214
D277,811 S * 3/1985 Moore D3/214
5,732,861 A 3/1998 Jakobson
5,791,535 A * 8/1998 Roan et al. 224/160
5,813,580 A * 9/1998 Fair 224/160
D409,373 S * 5/1999 Fair et al. D3/213
D414,032 S * 9/1999 Howell D3/213
D437,996 S * 2/2001 Fair et al. D3/214
D453,066 S * 1/2002 Norman D3/214
D455,546 S * 4/2002 Norman D3/214

FOREIGN PATENT DOCUMENTS

WO WO 2010/123434 A1 10/2010
WO WO 2010/123445 A1 10/2010

Primary Examiner — Kelley Donnelly

(74) *Attorney, Agent, or Firm* — Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a child carrier, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a child carrier according to our new design shown worn about the torso of a wearer;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a back elevation view thereof;


FIG. 4 is a right side view thereof, the left side view being a mirror image thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,343,880	B2 *	3/2008	Bergkvist	119/770	D642,375	S *	8/2011	Zack et al.	D3/214
D567,499	S *	4/2008	Elmberg et al.	D3/214	D649,345	S *	11/2011	Bergkvist et al.	D3/214
D611,699	S *	3/2010	Lundh	D3/214	D655,495	S *	3/2012	Sauer et al.	D3/214
D615,750	S *	5/2010	Jones et al.	D3/214	D664,351	S *	7/2012	Bergkvist et al.	D3/214
7,766,199	B1 *	8/2010	Caperon	224/160	D692,227	S *	10/2013	Andren et al.	D3/213
7,862,115	B1 *	1/2011	Davis	297/219.12	D693,569	S *	11/2013	Lehan	D3/214
D632,887	S *	2/2011	Jones et al.	D3/214	8,636,181	B2 *	1/2014	Gunter et al.	224/160
					D700,433	S *	3/2014	Ammar et al.	D3/213
					2003/0178452	A1 *	9/2003	Norman	224/160
					2007/0241147	A1	10/2007	Nyberg et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6