



US00D712232S

(12) **United States Design Patent**
Hall et al.

(10) **Patent No.:** **US D712,232 S**
(45) **Date of Patent:** **** Sep. 2, 2014**

(54) **DOOR RELEASE**

(71) Applicants: **Phillip J. Hall**, Corinth, TX (US);
Dimitri T. Medina, Plano, TX (US);
Mark B. Capek, Flower Mound, TX (US)

(72) Inventors: **Phillip J. Hall**, Corinth, TX (US);
Dimitri T. Medina, Plano, TX (US);
Mark B. Capek, Flower Mound, TX (US)

(73) Assignee: **PACCAR Inc**, Bellevue, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/450,726**

(22) Filed: **Mar. 21, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/447,857, filed on Mar. 7, 2013.

(51) **LOC (10) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/302**

(58) **Field of Classification Search**
CPC E05B 1/00; E05B 3/00
USPC D8/302, 300, 306, 308, 350; D12/195;
16/110.1, 402, 412, 444; 292/336.3,
292/347, 348, DIG. 23, DIG. 53; 70/207,
70/208, 224, 209, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,791,703 A * 8/1998 Kritzler et al. 292/336.3
6,007,122 A * 12/1999 Linder et al. 292/336.3
6,059,329 A * 5/2000 Spitzley 292/336.3
6,363,577 B1 * 4/2002 Spitzley 292/336.3

6,588,813 B1 * 7/2003 Marcarini et al. 292/347
6,594,861 B2 * 7/2003 Dimig et al. 16/412
6,612,630 B1 * 9/2003 Meinke 292/348
D499,951 S * 12/2004 Hattori D8/308
D501,783 S * 2/2005 Marzolf et al. D8/300
6,880,870 B2 * 4/2005 Costigan 292/336.3
6,883,840 B2 * 4/2005 Sueyoshi et al. 292/336.3
D510,252 S * 10/2005 Larson D8/313
7,152,893 B2 * 12/2006 Pudney 292/336.3
7,237,411 B2 * 7/2007 Pantke et al. 70/208

(Continued)

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a door release, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a door release according to our new design; FIG. 2 is front elevational view of the door release of FIG. 1; FIG. 3 is a left side elevational view of the door release of FIG. 1; FIG. 4 is a right side elevational view of the door release of FIG. 1; FIG. 5 is a top view of the door release of FIG. 1; and, FIG. 6 is a bottom view of the door release of FIG. 1. FIGS. 1-6 illustrate a first embodiment of our novel design suitable for use on the left side of a vehicle. Our novel design also includes a second embodiment suitable for use on the right side of a vehicle, which is mirror symmetrical to FIGS. 1-6 and therefore not separately illustrated. The broken lines immediately adjacent the shaded areas, including those disposed around the periphery of the design as depicted in FIG. 1, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D564,855 S * 3/2008 Hidding et al. D8/302
D585,719 S * 2/2009 Imai et al. D8/302
D588,436 S * 3/2009 Larson D8/302

D619,871 S * 7/2010 Behnke et al. D8/302
8,328,250 B2 * 12/2012 Botten et al. 292/336.3
8,408,610 B2 * 4/2013 Ieda et al. 292/336.3
2008/0314097 A1 * 12/2008 Rohlfing et al. 70/256

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.