



US00D712232S

(12) **United States Design Patent**  
**Hall et al.**

(10) **Patent No.:** **US D712,232 S**  
(45) **Date of Patent:** **\*\* Sep. 2, 2014**

- (54) **DOOR RELEASE**
- (71) Applicants: **Phillip J. Hall**, Corinth, TX (US);  
**Dimitri T. Medina**, Plano, TX (US);  
**Mark B. Capek**, Flower Mound, TX (US)
- (72) Inventors: **Phillip J. Hall**, Corinth, TX (US);  
**Dimitri T. Medina**, Plano, TX (US);  
**Mark B. Capek**, Flower Mound, TX (US)
- (73) Assignee: **PACCAR Inc**, Bellevue, WA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/450,726**
- (22) Filed: **Mar. 21, 2013**

6,588,813	B1 *	7/2003	Marcarini et al.	292/347
6,594,861	B2 *	7/2003	Dimig et al.	16/412
6,612,630	B1 *	9/2003	Meinke	292/348
D499,951	S *	12/2004	Hattori	D8/308
D501,783	S *	2/2005	Marzolf et al.	D8/300
6,880,870	B2 *	4/2005	Costigan	292/336.3
6,883,840	B2 *	4/2005	Sueyoshi et al.	292/336.3
D510,252	S *	10/2005	Larson	D8/313
7,152,893	B2 *	12/2006	Pudney	292/336.3
7,237,411	B2 *	7/2007	Pantke et al.	70/208

(Continued)

*Primary Examiner* — Paula Greene

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a door release, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a door release according to our new design;  
 FIG. 2 is front elevational view of the door release of FIG. 1;  
 FIG. 3 is a left side elevational view of the door release of FIG. 1;  
 FIG. 4 is a right side elevational view of the door release of FIG. 1;  
 FIG. 5 is a top view of the door release of FIG. 1; and,  
 FIG. 6 is a bottom view of the door release of FIG. 1.  
 FIGS. 1-6 illustrate a first embodiment of our novel design suitable for use on the left side of a vehicle. Our novel design also includes a second embodiment suitable for use on the right side of a vehicle, which is mirror symmetrical to FIGS. 1-6 and therefore not separately illustrated.  
 The broken lines immediately adjacent the shaded areas, including those disposed around the periphery of the design as depicted in FIG. 1, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 29/447,857, filed on Mar. 7, 2013.
- (51) **LOC (10) Cl.** ..... **08-06**
- (52) **U.S. Cl.**  
USPC ..... **D8/302**
- (58) **Field of Classification Search**  
CPC ..... E05B 1/00; E05B 3/00  
USPC ..... D8/302, 300, 306, 308, 350; D12/195;  
16/110.1, 402, 412, 444; 292/336.3,  
292/347, 348, DIG. 23, DIG. 53; 70/207,  
70/208, 224, 209, 455  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,791,703	A *	8/1998	Kritzler et al.	292/336.3
6,007,122	A *	12/1999	Linder et al.	292/336.3
6,059,329	A *	5/2000	Spitzley	292/336.3
6,363,577	B1 *	4/2002	Spitzley	292/336.3

(56)


**References Cited**

U.S. PATENT DOCUMENTS


D564,855 S \* 3/2008 Hidding et al. .... D8/302  
D585,719 S \* 2/2009 Imai et al. .... D8/302  
D588,436 S \* 3/2009 Larson ..... D8/302

D619,871 S \* 7/2010 Behnke et al. .... D8/302  
8,328,250 B2 \* 12/2012 Botten et al. .... 292/336.3  
8,408,610 B2 \* 4/2013 Ieda et al. .... 292/336.3  
2008/0314097 A1 \* 12/2008 Rohlfing et al. .... 70/256


\* cited by examiner




*Fig. 1.*




*Fig. 2.*




*Fig. 3.*



*Fig. 4.*



*Fig. 5.*



*Fig. 6.*