



US00D712235S

(12) **United States Design Patent**
Hoover et al.

(10) **Patent No.:** **US D712,235 S**
(45) **Date of Patent:** **** Sep. 2, 2014**

- (54) **DUAL SUCTION CUP MOUNT**
- (75) Inventors: **Brandon Hoover**, Cornelius, NC (US);
James Burry, Troutman, NC (US)
- (73) Assignee: **Biss Product Development**,
Mooreville, NC (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/425,830**
- (22) Filed: **Jun. 27, 2012**
- (51) **LOC (10) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/349; D8/354**
- (58) **Field of Classification Search**
USPC D8/354, 14, 349, 154, 373, 394;
D14/251; D16/242; D34/28, 35;
248/205.5–206.2, 309.3, 362, 363,
248/537, 683, 64.1
See application file for complete search history.

- D490,201 S * 5/2004 Liao D34/28
- D506,380 S * 6/2005 Chu D8/349
- D554,042 S * 10/2007 Richter D12/415
- D576,865 S * 9/2008 Chiang et al. D8/349
- D578,868 S * 10/2008 Ramakers et al. D8/354
- D595,565 S * 7/2009 Robertson et al. D8/354
- D599,192 S * 9/2009 Andren et al. D8/354
- D605,188 S * 12/2009 Martinez D14/253
- D608,624 S * 1/2010 Adams D8/367
- D616,285 S * 5/2010 Kimber D8/349
- D617,627 S * 6/2010 Tawil D8/349
- D618,134 S * 6/2010 Beebe D11/157
- 7,735,791 B2 * 6/2010 Bury 248/205.5
- D655,692 S * 3/2012 Silverman et al. D14/217
- D658,899 S * 5/2012 Zadro D6/309
- D659,824 S * 5/2012 Kwok D24/113
- 8,186,642 B2 * 5/2012 Weiss-Vons 248/683

(Continued)

Primary Examiner — Mark Goodwin

(57) **CLAIM**

The ornamental design for a dual suction cup mount, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a dual suction cup mount showing our new design;
 FIG. 2 is a right side elevational view thereof;
 FIG. 3 is a top plan view thereof, the bottom view being identical;
 FIG. 4 is a front elevational view of the article bent along the central axis approximately 45 degrees thereof;
 FIG. 5 is a front elevational view of the article bent along the central axis approximately 80 degrees thereof;
 FIG. 6 is a side elevational view of the article bent along the central axis approximately 45 degrees thereof; and,
 FIG. 7 is a side elevational view of the article bent along the central axis approximately 80 degrees thereof.
 The claimed dual suction cup mount is used to mount small devices or for novelty purposes.

1 Claim, 2 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 1,228,649 A * 6/1917 Childs 248/115
- 2,385,977 A * 10/1945 Farmer 248/205.5
- 2,777,141 A * 1/1957 Nye 15/105
- 2,910,264 A * 10/1959 Lindenberger 248/362
- 3,879,005 A * 4/1975 Flick 248/205.5
- 4,196,882 A * 4/1980 Rognon 248/205.9
- 4,846,429 A * 7/1989 Scheurer et al. 248/205.8
- 5,029,786 A * 7/1991 Wu 248/205.7
- D327,215 S * 6/1992 Pestone D8/373
- D340,181 S * 10/1993 Adams et al. D8/354
- D345,903 S * 4/1994 Adams et al. D8/349
- D357,170 S * 4/1995 Wellsfry D8/349
- 5,553,908 A * 9/1996 Shink 296/97.8
- D404,038 S * 1/1999 Fransson et al. D14/253
- D408,725 S * 4/1999 Adams D8/373
- D423,329 S * 4/2000 Adams D8/354
- 6,143,391 A * 11/2000 Barnes et al. 428/99
- 6,375,143 B1 * 4/2002 Burns 248/363



(56)

References Cited

U.S. PATENT DOCUMENTS

D663,476 S *	7/2012	Kelly	D27/183	
D681,420 S *	5/2013	Ileuov et al.	D8/354	* cited by examiner
D696,673 S *	12/2013	Vogel	D14/447	
D696,674 S *	12/2013	Vogel	D14/447	
2009/0108151 A1 *	4/2009	Carnevali	248/205.3	




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7