



US00D712235S

(12) **United States Design Patent**
Hoover et al.

(10) **Patent No.:** **US D712,235 S**
(45) **Date of Patent:** **** Sep. 2, 2014**

- (54) **DUAL SUCTION CUP MOUNT**
- (75) Inventors: **Brandon Hoover**, Cornelius, NC (US);
James Burry, Troutman, NC (US)
- (73) Assignee: **Biss Product Development**,
Mooreville, NC (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/425,830**
- (22) Filed: **Jun. 27, 2012**
- (51) **LOC (10) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/349; D8/354**
- (58) **Field of Classification Search**
USPC D8/354, 14, 349, 154, 373, 394;
D14/251; D16/242; D34/28, 35;
248/205.5–206.2, 309.3, 362, 363,
248/537, 683, 64.1
See application file for complete search history.

- D490,201 S * 5/2004 Liao D34/28
- D506,380 S * 6/2005 Chu D8/349
- D554,042 S * 10/2007 Richter D12/415
- D576,865 S * 9/2008 Chiang et al. D8/349
- D578,868 S * 10/2008 Ramakers et al. D8/354
- D595,565 S * 7/2009 Robertson et al. D8/354
- D599,192 S * 9/2009 Andren et al. D8/354
- D605,188 S * 12/2009 Martinez D14/253
- D608,624 S * 1/2010 Adams D8/367
- D616,285 S * 5/2010 Kimber D8/349
- D617,627 S * 6/2010 Tawil D8/349
- D618,134 S * 6/2010 Beebe D11/157
- 7,735,791 B2 * 6/2010 Bury 248/205.5
- D655,692 S * 3/2012 Silverman et al. D14/217
- D658,899 S * 5/2012 Zadro D6/309
- D659,824 S * 5/2012 Kwok D24/113
- 8,186,642 B2 * 5/2012 Weiss-Vons 248/683

(Continued)

Primary Examiner — Mark Goodwin

(57) **CLAIM**

The ornamental design for a dual suction cup mount, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a dual suction cup mount showing our new design;
 FIG. 2 is a right side elevational view thereof;
 FIG. 3 is a top plan view thereof, the bottom view being identical;
 FIG. 4 is a front elevational view of the article bent along the central axis approximately 45 degrees thereof;
 FIG. 5 is a front elevational view of the article bent along the central axis approximately 80 degrees thereof;
 FIG. 6 is a side elevational view of the article bent along the central axis approximately 45 degrees thereof; and,
 FIG. 7 is a side elevational view of the article bent along the central axis approximately 80 degrees thereof.
 The claimed dual suction cup mount is used to mount small devices or for novelty purposes.

1 Claim, 2 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

1,228,649	A *	6/1917	Childs	248/115
2,385,977	A *	10/1945	Farmer	248/205.5
2,777,141	A *	1/1957	Nye	15/105
2,910,264	A *	10/1959	Lindenberger	248/362
3,879,005	A *	4/1975	Flick	248/205.5
4,196,882	A *	4/1980	Rognon	248/205.9
4,846,429	A *	7/1989	Scheurer et al.	248/205.8
5,029,786	A *	7/1991	Wu	248/205.7
D327,215	S *	6/1992	Pestone	D8/373
D340,181	S *	10/1993	Adams et al.	D8/354
D345,903	S *	4/1994	Adams et al.	D8/349
D357,170	S *	4/1995	Wellsfry	D8/349
5,553,908	A *	9/1996	Shink	296/97.8
D404,038	S *	1/1999	Fransson et al.	D14/253
D408,725	S *	4/1999	Adams	D8/373
D423,329	S *	4/2000	Adams	D8/354
6,143,391	A *	11/2000	Barnes et al.	428/99
6,375,143	B1 *	4/2002	Burns	248/363



(56)

References Cited

U.S. PATENT DOCUMENTS

D663,476 S *	7/2012	Kelly	D27/183	
D681,420 S *	5/2013	Ileuov et al.	D8/354	* cited by examiner
D696,673 S *	12/2013	Vogel	D14/447	
D696,674 S *	12/2013	Vogel	D14/447	
2009/0108151 A1 *	4/2009	Carnevali	248/205.3	




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7