



US00D712240S

(12) **United States Design Patent**  
**Bracegirdle**

(10) **Patent No.:** **US D712,240 S**

(45) **Date of Patent:** **\*\* Sep. 2, 2014**

(54) **PIN ANCHOR FOR USE IN CONCRETE STRUCTURES**

(71) Applicant: **Paul E. Bracegirdle**, Newtown, PA (US)

(72) Inventor: **Paul E. Bracegirdle**, Newtown, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/461,151**

(22) Filed: **Jul. 18, 2013**

(51) **LOC (10) Cl.** ..... **08-08**

(52) **U.S. Cl.**  
USPC ..... **D8/384**

(58) **Field of Classification Search**  
USPC ..... D8/384–386, 367, 370, 354, 349;  
52/677, 682, 684, 686, 712; 248/302,  
248/249

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,636,704	A *	4/1953	Norberg	248/79
3,102,614	A *	9/1963	Lydard	403/387
3,288,414	A *	11/1966	Fortunato	248/222.12
4,208,859	A *	6/1980	Brockway	56/255
4,334,809	A *	6/1982	Zavislake	408/241 R
D311,618	S *	10/1990	Mattesky	D32/73
D317,861	S *	7/1991	Lechner	D8/380
D396,371	S *	7/1998	Oliver	D6/552
5,792,312	A *	8/1998	Dotterman et al.	156/579
5,832,690	A *	11/1998	Kaines	52/677

D465,997	S *	11/2002	Kalat	D8/370
D485,164	S *	1/2004	Gibbens	D8/499
D582,258	S *	12/2008	Ripley et al.	D8/354
D585,265	S *	1/2009	Meyers	D8/370
D600,102	S *	9/2009	Larkin	D8/370
D634,184	S *	3/2011	Koehn	D8/373
D645,731	S *	9/2011	Williams	D8/370
D650,655	S *	12/2011	Wester	D8/354
D651,066	S *	12/2011	Johnson, III	D8/354
D651,067	S *	12/2011	Johnson, III	D8/354
D651,071	S *	12/2011	Johnson, III	D8/382
D695,588	S *	12/2013	Cantwell et al.	D8/331
D698,629	S *	2/2014	Hansen et al.	D8/370
D699,556	S *	2/2014	Hendricks	D8/394
8,695,287	B1 *	4/2014	Francies, III	52/125.4

\* cited by examiner

*Primary Examiner* — Sheryl Lane

(74) *Attorney, Agent, or Firm* — LaMorte & Associates, P.C.

(57) **CLAIM**

The ornamental design for a pin anchor for use in concrete structures, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a pin anchor for use in concrete structures;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,


FIG. 7 is a bottom view thereof.

**1 Claim, 5 Drawing Sheets**







*FIG. 1*



*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*