



US00D712254S

(12) **United States Design Patent**
Geis et al.

(10) **Patent No.:** **US D712,254 S**
(45) **Date of Patent:** **** Sep. 2, 2014**

(54) **MOUNTING CAP FOR DISPENSER CARRIER**

(56)

References Cited

(75) Inventors: **Mark W. Geis**, Oak Creek, WI (US);
Donald J. Schumacher, Racine, WI
(US); **Damien Vizcarra**, Pasadena, CA
(US); **Alexandre Hennen**, Santa
Monica, CA (US)

U.S. PATENT DOCUMENTS

D367,921 S * 3/1996 Lewellen D23/260
D422,916 S * 4/2000 Herrmann D9/501
D458,133 S * 6/2002 Berish et al. D9/443

(Continued)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI
(US)

FOREIGN PATENT DOCUMENTS

EM 000480397-0001 3/2006

(**) Term: **14 Years**

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Leanne Was

(21) Appl. No.: **29/429,325**

(57) **CLAIM**

An ornamental design for a mounting cap for a dispenser carrier, as shown and described.

(22) Filed: **Aug. 9, 2012**

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**

USPC **D9/436**

(58) **Field of Classification Search**

USPC D7/300.1, 392, 392.1, 396.1, 396.2,
D7/502, 503, 504, 505, 509, 510, 511, 523,
D7/529, 530, 532, 538, 590, 605, 608,
D7/638; D8/356, 382, 383, 394, 395;
D9/418, 429, 435, 436, 438, 439, 440,
D9/443, 444, 445, 447, 448, 449, 450,
D9/452-54, 500, 502, 503, 504, 529, 538,
D9/551, 552, 553, 561, 564, 565, 682, 689,
D9/661, 662, 709, 715, 716, 718, 726, 728,
D9/781; D10/46.2; D11/152; D23/223,
D23/260; 73/426; 215/12.1, 222, 228, 237,
215/254, 281, 383, 387, 388, 395, 396,
215/399; 220/4.26, 200, 212, 212.5, 254.9,
220/270, 271, 284, 345.1, 547, 574, 575,
220/592.16, 605, 606, 674, 675, 703, 708,
220/713, 719, 751, 796; 222/5, 148, 180,
222/402.13, 547, 567; 224/148.7, 269;
229/400; 248/339; 383/68


DESCRIPTION

FIG. 1 is a perspective view of our invention;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a view thereof similar to FIG. 2, but showing the environment of a clip latch in an alternative, open position;
FIG. 9 is another perspective view thereof, but showing the environment of two possible apertures at different positions (three o'clock and nine o'clock instead of twelve o'clock and six o'clock);
FIG. 10 is a view similar to FIG. 2, but with the FIG. 9 environment; and,
FIG. 11 is a view similar to FIG. 4, but with the FIG. 9 environment.

The dotted line representations of apertures in FIGS. 1-6 and 8-11, clip latching structures in FIGS. 1-3, 5, 6 and 8-11, and of internal structure in FIG. 7, are for purposes of illustration only and form no part of the claim.

See application file for complete search history.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D458,134 S *	6/2002	Berish et al.	D9/443	D572,585 S *	7/2008	Perrin et al.	D9/443
D479,800 S *	9/2003	McRae	D9/443	D608,195 S *	1/2010	Germann	D9/443
D482,607 S *	11/2003	McRae	D9/614	D631,666 S *	2/2011	Lim et al.	D4/129
D485,757 S	1/2004	Roth et al.		D647,407 S	10/2011	Toh et al.	
D530,608 S	10/2006	Nukuto et al.		D652,255 S *	1/2012	Carland	D7/510
D531,030 S	10/2006	Nukuto et al.		D662,360 S *	6/2012	George	D7/510
D542,598 S	5/2007	Karp		D664,809 S *	8/2012	Eyal	D7/510
D563,782 S *	3/2008	Benson et al.	D9/436	D665,621 S *	8/2012	Eyal	D7/392.1
D568,740 S *	5/2008	Williams	D9/436	D693,170 S *	11/2013	Rosbach	D7/392.1
				2004/0217139 A1 *	11/2004	Roth et al.	224/148.7
				2008/0078787 A1	4/2008	Yelland	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11