



US00D712255S

(12) **United States Design Patent**  
**Geis et al.**

(10) **Patent No.:** **US D712,255 S**  
(45) **Date of Patent:** **\*\* Sep. 2, 2014**

- (54) **DISPENSER CARRIER**
- (71) Applicants: **Mark W. Geis**, Oak Creek, WI (US);  
**Donald J. Schumacher**, Racine, WI (US)
- (72) Inventors: **Mark W. Geis**, Oak Creek, WI (US);  
**Donald J. Schumacher**, Racine, WI (US)
- (73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)
- (\*\*) Term: **14 Years**

D531,030 S	10/2006	Nukuto et al.	
D542,598 S	5/2007	Karp	
D568,740 S *	5/2008	Williams	D9/436
D572,585 S	7/2008	Perrin et al.	
D608,195 S *	1/2010	Germann	D9/443
D612,235 S *	3/2010	Cresswell et al.	D9/443
D615,360 S *	5/2010	Joy et al.	D7/510
D616,744 S *	6/2010	Cresswell et al.	D9/443
D620,798 S *	8/2010	Cresswell et al.	D9/443
D626,416 S	11/2010	Cresswell et al.	
D631,666 S *	2/2011	Lim et al.	D4/129
D632,524 S *	2/2011	Rosbach et al.	D7/511
D633,338 S *	3/2011	Rosbach et al.	D7/511
D638,695 S *	5/2011	Woodrow et al.	D8/382
D647,407 S	10/2011	Toh et al.	
D652,255 S *	1/2012	Carland	D7/510

(Continued)

- (21) Appl. No.: **29/454,904**
- (22) Filed: **May 15, 2013**
- (51) **LOC (10) Cl.** ..... **09-07**
- (52) **U.S. Cl.**  
USPC ..... **D9/436**
- (58) **Field of Classification Search**  
USPC ..... D7/300.1, 392.1, 503, 505, 509, 510,  
D7/511, 513, 538, 542, 590, 605, 608;  
D8/356, 382, 383, 394, 395; D9/418,  
D9/434, 435, 436, 440, 443, 444, 445, 447,  
D9/448, 450, 503, 504, 529, 530, 531, 534,  
D9/538, 543, 682, 686, 688, 715, 718;  
D10/46.2; D11/152.7; 73/426;  
215/200, 228, 390; 220/212, 220,  
220/592.16, 592.17, 751; 222/148, 153.1,  
222/182, 567  
See application file for complete search history.

**FOREIGN PATENT DOCUMENTS**

EM 000480397-0001 3/2006  
*Primary Examiner* — Susan Bennett Hattan  
*Assistant Examiner* — Leanne Was


(57) **CLAIM**  
 An ornamental design for a dispenser carrier, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of our invention;  
 FIG. 2 is a front elevational view thereof, the rear elevational view being a mirror image thereof;  
 FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image thereof;  
 FIG. 4 is a top plan view thereof; and,  
 FIG. 5 is a bottom plan view thereof.  
 The dotted line representations of interior structures in FIG. 5 are for purposes of illustration only and form no part of the claim.  
 The dispenser carrier is used as part of an assembly that removably mounts a portable spray can for delivering insect repellent in a manner hung from a backpack, belt loop or the like, to facilitate outdoor use of the spray can.

**1 Claim, 5 Drawing Sheets**

- (56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
 3,414,167 A 12/1968 Osrow  
 D422,916 S \* 4/2000 Herrmann ..... D9/501  
 D458,134 S \* 6/2002 Berish et al. .... D9/443  
 D479,800 S \* 9/2003 McRae ..... D9/443  
 D482,607 S \* 11/2003 McRae ..... D9/614  
 D485,757 S \* 1/2004 Roth et al. .... D9/443  
 D530,608 S \* 10/2006 Nukuto et al. .... D9/445



# US D712,255 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D657,196 S \* 4/2012 Beyers, III ..... D7/513  
D662,360 S \* 6/2012 George ..... D7/510  
D664,809 S \* 8/2012 Eyal ..... D7/510

D665,621 S \* 8/2012 Eyal ..... D7/392.1  
D675,100 S \* 1/2013 Herbst ..... D9/504  
D693,170 S \* 11/2013 Rosbach ..... D7/392.1  
2004/0217139 A1 \* 11/2004 Roth et al. .... 224/148.7

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5