



US00D712377S

(12) **United States Design Patent**  
**Delrue**

(10) **Patent No.:** **US D712,377 S**  
(45) **Date of Patent:** **\*\* Sep. 2, 2014**

(54) **SPEAKER TOWER**

181/157, 198, 199; 381/300–303, 306, 332,  
381/333, 336, 345, 361–364, 386–388;  
369/6–12

(71) Applicant: **Valentin Delrue**, Sainghin en Melantois  
(FR)

See application file for complete search history.

(72) Inventor: **Valentin Delrue**, Sainghin en Melantois  
(FR)

(56) **References Cited**

(73) Assignee: **Bigben Interactive SA**, Lesquin (FR)

U.S. PATENT DOCUMENTS

(\*\*) Term: **14 Years**

D265,822 S \* 8/1982 Hartwein et al. .... D14/211  
D362,439 S \* 9/1995 Mark ..... D14/211

(21) Appl. No.: **29/450,867**

(Continued)

(22) Filed: **Mar. 25, 2013**

*Primary Examiner* — Keli L Hill

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm* — Fross Zelnick Lehrman &  
Zissu, P.C.; Charles T. J. Weigell, Esq.

Sep. 26, 2012 (EM) ..... 002109231-0001  
Sep. 26, 2012 (EM) ..... 002109231-0002  
Sep. 26, 2012 (EM) ..... 002109231-0003  
Sep. 26, 2012 (EM) ..... 002109231-0004  
Sep. 26, 2012 (EM) ..... 002109231-0005  
Sep. 26, 2012 (EM) ..... 002109231-0006

(57) **CLAIM**

The ornamental design for a speaker tower, as shown and  
described.

(51) **LOC (10) Cl.** ..... **14-03**

**DESCRIPTION**

(52) **U.S. Cl.**  
USPC ..... **D14/213**; D14/215

FIG. 1 is a front perspective view of a speaker tower showing  
my new design;

(58) **Field of Classification Search**

CPC .... B60R 11/0217; H04M 1/03; H04M 1/035;  
H04N 5/642; H04N 21/4852; H04R 1/02;  
H04R 1/06; H04R 1/021; H04R 1/025;  
H04R 1/026; H04R 1/028; H04R 1/105;  
H04R 1/323; H04R 1/403; H04R 1/2803;  
H04R 1/2834; H04R 5/02; H04R 7/20;  
H04R 9/06; H04R 9/025; H04R 2201/021;  
H04R 2400/00; H04R 2400/07; H04R  
2499/11; H04R 2499/13; H04R 2499/15;  
H04S 3/00; H04S 7/30; G06F 1/1688  
USPC ..... D14/167, 168, 170–172, 188, 194–196,  
D14/204, 207, 209.1, 210–216, 221, 222,  
D14/224; 181/143, 144, 147, 148, 150, 153,

FIG. 2 is a front view of the speaker tower shown in FIG. 1;  
FIG. 3 is a rear view of the speaker tower shown in FIG. 1;  
FIG. 4 is a left side view of the speaker tower shown in FIG.  
1;

FIG. 5 is a right side view of the speaker tower shown in FIG.  
1;

FIG. 6 is a top view of the speaker tower shown in FIG. 1;



FIG. 7 is a bottom view of the speaker tower shown in FIG. 1;

FIG. 8 is a top perspective view of the speaker tower shown in  
FIG. 1; and,

FIG. 9 is a front perspective view of the speaker tower shown  
in FIG. 1 with the front surface shown as removed.

The broken line showing of the buttons, docks, feet, support  
bar and back circular opening are included for the purpose of  
illustrating portions of the speaker tower and forms no part of  
the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D424,059 S *	5/2000	Coleman .....	D14/215	
D470,126 S *	2/2003	Ljungberg et al. ....	D14/214	* cited by examiner
D494,565 S *	8/2004	Yao .....	D14/215	
D541,258 S *	4/2007	Oxford et al. ....	D14/211	
D642,555 S *	8/2011	Hawkins et al. ....	D14/214	
D672,751 S *	12/2012	Davies et al. ....	D14/215	




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9