



US00D712589S

(12) **United States Design Patent**  
**Johnson**

(10) **Patent No.:** **US D712,589 S**  
(45) **Date of Patent:** **\*\* Sep. 2, 2014**

(54) **TOY TRUCK NIGHTLIGHT**

(71) Applicant: **Cloud B, Inc.**, Gardena, CA (US)

(72) Inventor: **Jeffery Wayne Johnson**, Lawndale, CA (US)

(73) Assignee: **Cloud B, Inc.**, Gardena, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/469,661**

(22) Filed: **Oct. 11, 2013**

(51) **LOC (10) Cl.** ..... **26-03**

(52) **U.S. Cl.**  
USPC ..... **D26/97**

(58) **Field of Classification Search**

CPC ..... F21L 4/00; F21S 9/02; F21S 48/145;  
F21S 6/00; F21S 8/08; F21S 4/005; F21V  
21/30

USPC ..... D26/24, 93, 94, 97; D11/131, 157, 163;  
D21/398, 483, 533, 548; 362/124, 183,  
362/186, 249.16, 257, 310, 311.01, 311.06,  
362/362, 363, 806

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D322,331 S	*	12/1991	Tsuji	.....	D26/97
D419,207 S	*	1/2000	Lieberman	.....	D21/549
D603,839 S	*	11/2009	Willis	.....	D21/549
D632,347 S	*	2/2011	Hornsby et al.	.....	D21/548
D683,888 S	*	6/2013	Johnson	.....	D26/97

\* cited by examiner

*Primary Examiner* — Brian N Vinson

(74) *Attorney, Agent, or Firm* — Brooks Acordia IP Law, P.C.

(57) **CLAIM**

The ornamental design for a toy truck nightlight, as shown and described.



**DESCRIPTION**


FIG. 1 is a perspective view of a toy truck nightlight showing our new design;

FIG. 2 is a top plan view of the embodiment of FIG. 1;  
 FIG. 3 is a bottom plan view of the embodiment of FIG. 1;  
 FIG. 4 is a right side elevational view of the embodiment of FIG. 1;  
 FIG. 5 is a left side elevational view of the embodiment of FIG. 1;  
 FIG. 6 is a front elevational view of the embodiment of FIG. 1;  
 FIG. 7 is a rear elevational view of the embodiment of FIG. 1;  
 FIG. 8 is a perspective view of an alternate embodiment of the toy truck nightlight having reduced wheel, grille, and rear position lamp detail;  
 FIG. 9 is a top plan view of the embodiment of FIG. 8;  
 FIG. 10 is a bottom plan view of the embodiment of FIG. 8;  
 FIG. 11 is a right side elevational view of the embodiment of FIG. 8;  
 FIG. 12 is a left side elevational view of the embodiment of FIG. 8;  
 FIG. 13 is a front elevational view of the embodiment of FIG. 8;  
 FIG. 14 is a rear elevational view of the embodiment of FIG. 8;  
 FIG. 15 is a perspective view of an alternate embodiment of the toy truck nightlight having circular apertures and reduced wheel, grille, and rear position lamp detail;  
 FIG. 16 is a top plan view of the embodiment of FIG. 15;  
 FIG. 17 is a bottom plan view of the embodiment of FIG. 15;  
 FIG. 18 is a right side elevational view of the embodiment of FIG. 15;  
 FIG. 19 is a left side elevational view of the embodiment of FIG. 15;  
 FIG. 20 is a front elevational view of the embodiment of FIG. 15; and,  
 FIG. 21 is a rear elevational view of the embodiment of FIG. 15.

Surface shading is used to shade FIGS. 1-21 to show clearly the character and contour of all surfaces of the 3-dimensional aspects of the design and form a part of the design sought to be protected. Oblique line shading is used to show transparent or translucent surfaces.


**1 Claim, 12 Drawing Sheets**






*FIG. 1*







*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*




*FIG. 6*




*FIG. 7*







*FIG. 8*




*FIG. 9*



*FIG. 10*




*FIG. 11*




*FIG. 12*






*FIG. 13*




*FIG. 14*




*FIG. 15*







*FIG. 10*



*FIG. 17*




*FIG. 18*




*FIG. 19*





*FIG. 20*



*FIG. 21*