



US00D712589S

(12) **United States Design Patent**
Johnson

(10) **Patent No.:** **US D712,589 S**
(45) **Date of Patent:** **** Sep. 2, 2014**

(54) **TOY TRUCK NIGHTLIGHT**

(71) Applicant: **Cloud B, Inc.**, Gardena, CA (US)

(72) Inventor: **Jeffery Wayne Johnson**, Lawndale, CA (US)

(73) Assignee: **Cloud B, Inc.**, Gardena, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/469,661**

(22) Filed: **Oct. 11, 2013**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/97**

(58) **Field of Classification Search**

CPC F21L 4/00; F21S 9/02; F21S 48/145;
F21S 6/00; F21S 8/08; F21S 4/005; F21V
21/30

USPC D26/24, 93, 94, 97; D11/131, 157, 163;
D21/398, 483, 533, 548; 362/124, 183,
362/186, 249.16, 257, 310, 311.01, 311.06,
362/362, 363, 806

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D322,331 S	*	12/1991	Tsuji	D26/97
D419,207 S	*	1/2000	Lieberman	D21/549
D603,839 S	*	11/2009	Willis	D21/549
D632,347 S	*	2/2011	Hornsby et al.	D21/548
D683,888 S	*	6/2013	Johnson	D26/97

* cited by examiner

Primary Examiner — Brian N Vinson

(74) *Attorney, Agent, or Firm* — Brooks Acordia IP Law, P.C.

(57) **CLAIM**

The ornamental design for a toy truck nightlight, as shown and described.



DESCRIPTION

FIG. 1 is a perspective view of a toy truck nightlight showing our new design;

FIG. 2 is a top plan view of the embodiment of FIG. 1;
 FIG. 3 is a bottom plan view of the embodiment of FIG. 1;
 FIG. 4 is a right side elevational view of the embodiment of FIG. 1;
 FIG. 5 is a left side elevational view of the embodiment of FIG. 1;
 FIG. 6 is a front elevational view of the embodiment of FIG. 1;
 FIG. 7 is a rear elevational view of the embodiment of FIG. 1;
 FIG. 8 is a perspective view of an alternate embodiment of the toy truck nightlight having reduced wheel, grille, and rear position lamp detail;
 FIG. 9 is a top plan view of the embodiment of FIG. 8;
 FIG. 10 is a bottom plan view of the embodiment of FIG. 8;
 FIG. 11 is a right side elevational view of the embodiment of FIG. 8;
 FIG. 12 is a left side elevational view of the embodiment of FIG. 8;
 FIG. 13 is a front elevational view of the embodiment of FIG. 8;
 FIG. 14 is a rear elevational view of the embodiment of FIG. 8;
 FIG. 15 is a perspective view of an alternate embodiment of the toy truck nightlight having circular apertures and reduced wheel, grille, and rear position lamp detail;
 FIG. 16 is a top plan view of the embodiment of FIG. 15;
 FIG. 17 is a bottom plan view of the embodiment of FIG. 15;
 FIG. 18 is a right side elevational view of the embodiment of FIG. 15;
 FIG. 19 is a left side elevational view of the embodiment of FIG. 15;
 FIG. 20 is a front elevational view of the embodiment of FIG. 15; and,
 FIG. 21 is a rear elevational view of the embodiment of FIG. 15.

Surface shading is used to shade FIGS. 1-21 to show clearly the character and contour of all surfaces of the 3-dimensional aspects of the design and form a part of the design sought to be protected. Oblique line shading is used to show transparent or translucent surfaces.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 10




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21