



US00D712846S

(12) **United States Design Patent**  
**Creasman**

(10) **Patent No.:** **US D712,846 S**

(45) **Date of Patent:** **\*\* Sep. 9, 2014**

(54) **LIGHT SWITCH**

(71) Applicant: **Cree, Inc.**, Durham, NC (US)

(72) Inventor: **Ethan Timothy Creasman**, Morrisville, NC (US)

(73) Assignee: **Cree, Inc.**, Durham, NC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/447,509**

(22) Filed: **Mar. 4, 2013**

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/174**

(58) **Field of Classification Search**  
USPC ..... D13/162, 169, 174; 174/66; 200/1 R,  
200/5 R, 5 A, 1 B, 293, 296, 302.3, 315, 329,  
200/332, 335, 339; 307/139, 157; 315/291  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,221,941	A *	9/1980	Genovese	.....	200/457
D313,168	S *	12/1990	Pearlman et al.	.....	D13/169
D327,657	S *	7/1992	Marcou et al.	.....	D10/106.8
5,895,888	A *	4/1999	Arenas et al.	.....	174/66
6,005,308	A *	12/1999	Bryde et al.	.....	307/157
D472,525	S *	4/2003	Barone	.....	D13/169
D473,528	S *	4/2003	Wengrower	.....	D13/169
D504,667	S *	5/2005	Savicki et al.	.....	D13/169
D513,607	S *	1/2006	Lombardi et al.	.....	D13/169
6,989,489	B1 *	1/2006	Savicki, Jr.	.....	174/50
D570,790	S *	6/2008	Egea Soler	.....	D13/162
7,400,239	B2 *	7/2008	Kiko et al.	.....	340/501
D581,369	S *	11/2008	Egea Soler	.....	D13/162
D583,335	S *	12/2008	Ni	.....	D13/169
D587,214	S *	2/2009	Nichols et al.	.....	D13/171
D589,000	S *	3/2009	Reichling et al.	.....	D13/171
D649,122	S *	11/2011	Jacoby et al.	.....	D13/162
D657,752	S *	4/2012	Krumpe et al.	.....	D13/162

8,592,703 B2 \* 11/2013 Johnson et al. .... 200/339  
2012/0068894 A1 \* 3/2012 Feldstein et al. .... 343/702

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Jenkins, Wilson, Taylor & Hunt, P.A.

(57) **CLAIM**

The ornamental design for a light switch, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a light switch showing the design according to a first embodiment;

FIG. 2 is a top plan view thereof;

FIG. 3 is a first side view thereof;

FIG. 4 is a second side view thereof, opposite the view of FIG. 3;

FIG. 5 is a third side view thereof;

FIG. 6 is a bottom plan view thereof, opposite the view of FIG. 2;

FIG. 7 is a fourth side view thereof, opposite the view of FIG. 5;

FIG. 8 is a perspective view of a light switch showing the design according to a second embodiment;

FIG. 9 is a top plan view thereof;

FIG. 10 is a first side view thereof;

FIG. 11 is a second side view thereof, opposite the view of FIG. 10;



FIG. 12 is a third side view thereof;

FIG. 13 is a bottom plan view thereof, opposite the view of FIG. 9; and,

FIG. 14 is a fourth side view thereof, opposite the view of FIG. 12.

The broken lines appearing in various views are for illustrative purposes only and form no part of the claimed design. The dot-dash-dot broken lines appearing on the bottom plan views represent boundaries of the claimed design and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14