



US00D712874S

(12) **United States Design Patent**
Gauger, Jr. et al.

(10) **Patent No.:** **US D712,874 S**
(45) **Date of Patent:** **** Sep. 9, 2014**

- (54) **EARBUD WITH BOOM MICROPHONE**
- (71) Applicant: **Bose Corporation**, Framingham, MA (US)
- (72) Inventors: **Daniel M. Gauger, Jr.**, Berlin, MA (US); **Kevin M. Krauss**, Sudbury, MA (US)
- (73) Assignee: **Bose Corporation**, Framingham, MA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/467,378**
- (22) Filed: **Sep. 18, 2013**

D471,890 S *	3/2003	Clarkson	D14/205
D558,735 S *	1/2008	Carr et al.	D14/206
D575,768 S *	8/2008	Wang	D14/206
D578,507 S *	10/2008	Ando	D14/205
D582,389 S *	12/2008	Bose et al.	D14/205
D582,889 S *	12/2008	Bose et al.	D14/205
D584,284 S *	1/2009	Carr et al.	D14/206
D641,737 S *	7/2011	Krauss et al.	D14/223
D659,117 S *	5/2012	Krauss et al.	D14/205
D684,950 S *	6/2013	Schaal et al.	D14/205
D684,953 S *	6/2013	Schaal et al.	D14/223
D686,191 S *	7/2013	Schaal et al.	D14/205
D695,265 S *	12/2013	Schaal et al.	D14/205
D695,266 S *	12/2013	Schaal et al.	D14/205
D695,267 S *	12/2013	Schaal et al.	D14/205
D697,049 S *	1/2014	Krauss et al.	D14/205
D699,703 S *	2/2014	Schaal et al.	D14/205
D706,244 S *	6/2014	Goransson	D14/225
2008/0152162 A1 *	6/2008	Bakalos et al.	381/74

* cited by examiner

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/442,837, filed on Jan. 24, 2013, now Pat. No. Des. 697,049.
- (51) **LOC (10) Cl.** **14-01**
- (52) **U.S. Cl.**
USPC **D14/206; D14/225**
- (58) **Field of Classification Search**
CPC H04R 1/10
USPC D14/206, 205, 223, 225, 226; 181/129, 181/130, 135; 379/430, 431; 381/380, 381, 381/384; 455/90.3, 575.1
See application file for complete search history.

Primary Examiner — Paula Greene

(57) **CLAIM**

The ornamental design for an earbud with boom microphone, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an earbud with boom microphone as seen from the front, bottom, and left side, the cord is drawn broken away for indeterminate length;
 FIG. 2 is a left side view thereof;
 FIG. 3 is a right side view thereof;
 FIG. 4 is a back view thereof;
 FIG. 5 is a front view thereof;
 FIG. 6 is a top end view thereof; and,
 FIG. 7 is a bottom end view thereof.


The figures show an earbud configured for use in the right ear. A mirror-image design could similarly be applied to an earbud configured for use in the left ear. The dotted line portions of the drawings represent environmental structure only and do not form part of the claimed design.

1 Claim, 7 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D309,306 S *	7/1990	Weiser et al.	D14/249
D384,958 S *	10/1997	Shudo	D14/206
D403,681 S *	1/1999	Lam	D14/223
D409,621 S *	5/1999	Andrea	D14/223
D431,030 S *	9/2000	Yoon	D14/142
D445,416 S *	7/2001	Glezerman	D14/223
6,272,362 B1 *	8/2001	Wang	455/569.2
D464,944 S *	10/2002	Lee et al.	D14/206






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7