



US00D712970S

(12) **United States Design Patent**
Biheller et al.

(10) **Patent No.:** **US D712,970 S**
(45) **Date of Patent:** **** Sep. 9, 2014**

(54) **VIDEO GAME CONTROLLER**

(71) Applicant: **Bensussen Deutsch & Associates, Inc.**,
Woodinville, WA (US)

(72) Inventors: **Jason Biheller**, Malibu, CA (US); **Derek Angelo Silverio**, Seattle, WA (US); **Treasure Lynae Hinds**, Seattle, WA (US); **Gregory Thomas Janky**, Sammamish, WA (US)

(73) Assignee: **Bensussen Deutsch & Associates, Inc.**,
Woodinville, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/457,482**

(22) Filed: **Jun. 10, 2013**

(51) **LOC (10) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/330; D21/333**

(58) **Field of Classification Search**
USPC D14/399-401, 412-416; D21/324, 333;
273/148 B; 463/1, 29-39, 46, 47;
345/156-161, 905
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,161,803	A *	11/1992	Ohara	463/44
5,785,317	A *	7/1998	Sasaki	273/148 B
D400,617	S *	11/1998	Tsai	D21/330
D405,780	S *	2/1999	Smith	D14/401
D422,317	S *	4/2000	Smith	D21/330
D434,454	S *	11/2000	Benoit et al.	D21/330
D493,495	S *	7/2004	Avery	D21/330
D519,118	S *	4/2006	Woodward	D14/401

(Continued)

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Seed IP Law Group PLLC

(57) **CLAIM**

The ornamental design for a video game controller, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a video game controller showing our new design, with a clamping arm shown in a closed configuration.

FIG. 2 is a top plan view thereof.

FIG. 3 is a bottom plan view thereof.

FIG. 4 is a front elevational view thereof.

FIG. 5 is a rear elevational view thereof.

FIG. 6 is a left side elevational view thereof.

FIG. 7 is a right side elevational view thereof.

FIG. 8 is a perspective view of a video game controller showing our new design, with a clamping arm shown in an open configuration, the clamping arm being in a partially extended position.

FIG. 9 is a top plan view thereof, with the clamping arm shown in the open configuration, the clamping arm being in a partially extended position.

FIG. 10 is a bottom plan view thereof, with the clamping arm shown in the open configuration, the clamping arm being in a partially extended position.

FIG. 11 is a front elevational view thereof, with the clamping arm shown in the open configuration, the clamping arm being in a partially extended position.


FIG. 12 is a rear elevational view thereof, with the clamping arm shown in the open configuration, the clamping arm being in a partially extended position.

FIG. 13 is a left side elevational view thereof, with the clamping arm shown in the open configuration, the clamping arm being in a partially extended position; and,

FIG. 14 is a right side elevational view thereof, with the clamping arm shown in the open configuration, the clamping arm being in a partially extended position.

The broken lines in the figures are for illustrative purposes only and depict portions of the video game controller that form no part of the claimed design.

1 Claim, 11 Drawing Sheets



US D712,970 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D534,962 S *	1/2007	Svendsen et al.	D21/333
7,235,012 B2 *	6/2007	DiDato	463/38
8,241,126 B2 *	8/2012	Ambinder et al.	463/38

D521,567 S * 5/2006 Svendsen et al. D21/333 * cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13