

US00D712999S

(12) **United States Design Patent**
Clifton, Jr.

(10) **Patent No.:** **US D712,999 S**
(45) **Date of Patent:** **** Sep. 9, 2014**

(54) **HOLSTER TRIGGER GUARD LOCKING
DEVICE**

(71) Applicant: **Norman E. Clifton, Jr.**, Jacksonville, FL
(US)

(72) Inventor: **Norman E. Clifton, Jr.**, Jacksonville, FL
(US)

(73) Assignee: **Safariland, LLC**, Jacksonville, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/451,372**

(22) Filed: **Apr. 1, 2013**

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**
USPC D22/108; 42/42.02–42.03, 70.07;
89/37.04; 124/72, 74, 31

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,275,317 A * 1/1994 Rogers et al. 224/244
5,372,288 A * 12/1994 Rogers et al. 224/198
2003/0075575 A1 * 4/2003 Rogers et al. 224/242

* cited by examiner

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Arthur G. Yeager


(57) **CLAIM**

The ornamental design for a holster trigger guard locking device, as shown and described.

DESCRIPTION

FIG. 1 is a top, right side and rear perspective view of a holster trigger guard locking device, according to my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a front end elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a rear end elevational view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 7




FIG. 4




FIG. 6