



US00D713615S

(12) **United States Design Patent**
Measom et al.

(10) **Patent No.:** **US D713,615 S**
(45) **Date of Patent:** **** Sep. 16, 2014**

(54) **SAFE RACK**

(71) Applicants: **Ty Measom**, Logan, UT (US); **Brett Bennett**, Mantua, UT (US)

(72) Inventors: **Ty Measom**, Logan, UT (US); **Brett Bennett**, Mantua, UT (US)

(73) Assignee: **Peak Trades LLC**, Hyde Park, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/461,842**

(22) Filed: **Jul. 29, 2013**

(51) **LOC (10) Cl.** **99-00**

(52) **U.S. Cl.**
USPC **D99/43**

(58) **Field of Classification Search**

USPC D99/28, 34, 35, 36, 43, 99; D6/320,
D6/325, 328, 672, 673, 675, 681, 681.1,
D6/702, 512, 513, 546, 552, 567; D8/349,
D8/354, 363, 366, 373, 380, 381, 499;
248/200, 291.1, 289.11, 225.21, 294.1;
109/1 R, 1 V, 2, 45, 49.5, 50, 52, 58, 78,
109/79; 206/0.8, 0.81, 0.815, 0.82, 527;
902/9

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,815,767 A * 7/1931 Fusmer 248/475.1
D87,772 S * 9/1932 Wolters D99/28
D103,629 S * 3/1937 Davis D99/28
2,086,018 A * 7/1937 Dyer 312/204
2,088,459 A * 7/1937 Bennett et al. 70/77
D118,366 S * 1/1940 Davis D99/28

D120,336 S * 5/1940 Beecherer D99/28
3,518,421 A * 6/1970 Cogdill 248/57
D288,289 S * 2/1987 Reiker D8/380
D291,019 S * 7/1987 Druihet D99/28
D490,697 S * 6/2004 Runnalls D8/380
D495,113 S * 8/2004 Lynch et al. D99/43
D498,895 S * 11/2004 Lynch et al. D99/28
7,070,156 B2 * 7/2006 Liao 248/466
D557,875 S * 12/2007 Stuhlbarg et al. D99/28
D558,036 S * 12/2007 Rogers D8/380
D620,675 S * 7/2010 Doettling D99/28
D628,467 S * 12/2010 Wright et al. D8/380
D677,502 S * 3/2013 Ryan D6/707.22

* cited by examiner

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Project CIP; Preston P. Frischknecht

(57) **CLAIM**

The ornamental design for a safe rack, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a safe rack showing our new design, shown in a used condition with a safe in broken lines; FIG. 2 is a front isometric view thereof, shown in an unused condition;

FIG. 3 is a front view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a right view thereof;


FIG. 6 is a left view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines showing a safe in the drawing view of FIG. 1 form no part of the claimed design.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8