



US00D713700S

(12) **United States Design Patent**  
**Iwasaki et al.**

(10) **Patent No.:** **US D713,700 S**  
(45) **Date of Patent:** **\*\* Sep. 23, 2014**

(54) **SCISSORS**

(71) Applicant: **Plus Corporation**, Tokyo (JP)

(72) Inventors: **Ichiro Iwasaki**, Tokyo (JP); **Naoya Yoshida**, Tokyo (JP)

(73) Assignee: **Plus Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/468,769**

(22) Filed: **Oct. 3, 2013**

(30) **Foreign Application Priority Data**

Apr. 4, 2013 (JP) ..... 2013-007588

(51) **LOC (10) Cl.** ..... **08-03**

(52) **U.S. Cl.**  
USPC ..... **D8/57**

(58) **Field of Classification Search**  
CPC ..... B26B 13/00; B26B 13/20; B26B 13/12;  
B26B 17/00  
USPC ..... D8/4, 5, 51-58, 105, 107; D27/195;  
D21/532; 30/131, 195, 229, 194,  
30/230-235, 341, 268, 350, 254-258;  
D28/44, 57; 7/135, 136  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D272,121 S \* 1/1984 Gingher, Jr. .... D8/57  
D353,087 S \* 12/1994 Ramsey et al. .... D8/57  
D363,866 S \* 11/1995 Ramsey et al. .... D8/57  
D406,739 S \* 3/1999 Tarozzi ..... D8/57  
D419,412 S \* 1/2000 Chang ..... D8/57  
D436,816 S \* 1/2001 Lo ..... D8/57

D443,490 S \* 6/2001 Bornancini ..... D8/57  
D563,746 S \* 3/2008 Schmidt et al. .... D8/57  
D614,467 S \* 4/2010 Wyant et al. .... D8/57  
D631,716 S \* 2/2011 Roberts et al. .... D8/57  
D648,996 S \* 11/2011 Hanakawa et al. .... D8/57  
D677,538 S \* 3/2013 Hasegawa ..... D8/57  
D678,742 S \* 3/2013 Iwasaki ..... D8/57

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

*Assistant Examiner* — Harold Blackwell, II

(74) *Attorney, Agent, or Firm* — The Marbury Law Group, PLLC


(57) **CLAIM**

The ornamental design for scissors, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the scissors design in a closed position.  
FIG. 2 is a rear view of the scissors design in the closed position.  
FIG. 3 is a top view of the scissors design in the closed position.  
FIG. 4 is a bottom view of the scissors design in the closed position.  
FIG. 5 is a right side view of the scissors design in the closed position.  
FIG. 6 is a left side view of the scissors design in the closed position.  
FIG. 7 is a front/right side perspective view of the scissors design in the closed position.  
FIG. 8 is a front view of the scissors design in an open position; and,  
FIG. 9 is a rear view of the scissors design in the open position.

**1 Claim, 9 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9